



Corridor Information Document

2025 timetable year

Version control

Version	Chapter changed	Changes compared to the previously published version	X marks which part in the chapter concerned has been changed	
			Common part	Corridor-specific part
06-05-2024	4.3.7.2 4.3.7.4 4.3.7.5 4.3.10	Updated content of DB InfraGO's charging system for TT2025 after the respective decision of the regulatory body (BNetzA)		X
effective from: 01-10-2024	1.4 4.2.2	Company data change: VPE merging into KTI Hungarian Institute for Transport Sciences and Logistics Non Profit Limited Liability Company		X
effective from: 14-10-2024	4.3.6.3	Updated table of C-OSS responsibilities based on the decision made by the Management Board on 17 September 2024: "RFC Rhine-Danube shall publish the Reserve Capacity offer for the first time for timetable 2025 on those lines of RFC Orient/East-Med which shall become part of RFC Rhine-Danube according to Annex III of Regulation (EU) 1679/2024, which is due on 14 October 2024".		X

Table of contents

Table of contents	3
Glossary	7
1 General Information	7
1.1 Introduction	7
1.2 Purpose of the CID	7
1.3 Corridor Description	8
1.4 Corridor Organisation	8
1.5 Contacts	11
1.6 Legal status	11
1.7 Validity Period, Updating and Publishing	12
1.8 IT tools	12
1.8.1 Path Coordination System (PCS)	12
1.8.2 Train Information System (TIS)	12
1.8.3 Charging Information System (CIS)	13
1.8.4 Customer Information Platform (CIP)	13
1.8.5 Network and Corridor Information (NCI) portal	13
1.9 Corridor Language	13
2 Network Statement Excerpts	14
3 Terminal Description	14
4 Procedures for Capacity, Traffic and Train Performance Management	19
4.1 Introduction	19
4.2 Corridor OSS	19
4.2.1 Function	19
4.2.2 Contact	20
4.2.3 Language of the C-OSS	20
4.2.4 Tasks of the C-OSS	20
4.2.4.1 Path register	21
4.2.5 Tool	22
4.3 Capacity allocation	22
4.3.1 Framework for Capacity Allocation	22
4.3.2 Applicants	22
4.3.3 Requirements for requesting capacity	23
4.3.4 Annual timetable phase	24
4.3.4.1 PaPs	24
4.3.4.2 Schematic corridor map	25

4.3.4.3 Features of PaPs	25
4.3.4.4 Multiple corridor paths	26
4.3.4.5 PaPs on overlapping sections	26
4.3.4.6 Feeder, outflow and tailor-made paths.....	28
4.3.4.7 Handling of requests	28
4.3.4.8 Leading tool for the handling of capacity requests	29
4.3.4.9 Check of the applications.....	29
4.3.4.10 Pre-booking phase.....	30
4.3.4.11 Priority rules in capacity allocation	30
4.3.4.12 Network PaP	31
4.3.4.13 Priority rule in case no Network PaP is involved.....	31
4.3.4.14 Priority rule if a Network PaP is involved in at least one of the conflicting requests 31	
4.3.4.15 Random selection	31
4.3.4.16 Special cases of requests and their treatment	32
4.3.4.17 Result of the pre-booking.....	33
4.3.4.18 Handling of non-requested PaPs	33
4.3.4.19 Draft offer	34
4.3.4.20 Observations	34
4.3.4.21 Post-processing.....	34
4.3.4.22 Final offer	34
4.3.5 Late path request phase.....	34
4.3.5.1 Product	35
4.3.5.2 Multiple corridor paths	35
4.3.5.3 Late paths on overlapping sections	35
4.3.5.4 Handling of requests	35
4.3.5.5 Leading tool for late path requests.....	35
4.3.5.6 Check of the applications.....	36
4.3.5.7 Pre-booking.....	36
4.3.5.8 Path elaboration.....	36
4.3.5.9 Late request offer.....	36
4.3.6 Ad-hoc path request phase.....	36
4.3.6.1 Reserve capacity (RC)	36
4.3.6.2 Multiple corridor paths	37
4.3.6.3 Reserve capacity on overlapping sections	37
4.3.6.4 Feeder, outflow and tailor-made paths.....	39
4.3.6.5 Handling of requests	39

4.3.6.6	Leading tool for ad-hoc requests.....	39
4.3.6.7	Check of the applications.....	39
4.3.6.8	Pre-booking.....	39
4.3.6.9	Path elaboration.....	39
4.3.6.10	Ad-hoc request offer.....	39
4.3.7	Request for changes by the applicant.....	40
4.3.7.1	Modification.....	40
4.3.7.2	Withdrawal.....	40
4.3.7.3	Transfer of capacity.....	41
4.3.7.4	Cancellation.....	41
4.3.7.5	Unused paths.....	43
4.3.8	Exceptional transport and dangerous goods.....	44
4.3.8.1	Exceptional transport.....	44
4.3.8.2	Dangerous goods.....	44
4.3.9	Rail related services.....	45
4.3.10	Contracting and invoicing.....	45
4.3.11	Appeal procedure.....	46
4.4	Coordination and Publication of planned Temporary Capacity Restrictions.....	46
4.4.1	Goals.....	46
4.4.2	Legal background.....	47
4.4.3	Coordination process of corridor-relevant TCRs.....	47
4.4.3.1	Timeline for coordination.....	47
4.4.3.2	Coordination between neighbouring IMs (first level of coordination).....	47
4.4.3.3	Coordination at Corridor level (second level of coordination).....	47
4.4.3.4	Conflict resolution process.....	48
4.4.4	Involvement of applicants.....	48
4.4.5	Publication of TCRs.....	49
4.4.5.1	Criteria for publication.....	49
4.4.5.2	Dates of publication.....	50
4.4.5.3	Tool for publication.....	50
4.4.6	Legal disclaimer.....	51
4.5	Traffic management.....	51
4.5.1	Cross-border section information.....	51
4.5.1.1	Technical features and operational rules.....	52
4.5.1.2	Cross-border agreements.....	53
4.5.2	Priority rules in traffic management.....	53

4.5.3 Traffic management in the event of disturbance	54
4.5.3.1 Communication procedure.....	55
4.5.3.2 Operational scenarios on the Corridor in the event of disturbance.....	55
4.5.3.3 Allocation rules in the event of disturbance	55
4.5.4 Traffic restrictions	56
4.5.5 Dangerous goods	56
4.5.6 Exceptional transport	56
4.6 Train Performance Management.....	56
Annex 4.A Framework for Capacity Allocation	57
Annex 4.B Table of deadlines	58
Annex 4.C Maps of the Corridor	59
Annex 4.D Specificities on specific PaP sections on the Corridor	60
Annex 4.E Table of distances (PaP sections)	61

Glossary

A general glossary which is harmonised over all Corridors is available under the following link:

https://rne.eu/wp-content/uploads/NS_CID_Glossary_2023-Working-file_clean-version.xlsx

1 General Information

1.1 Introduction

Rail Freight Corridors were established according to the Regulation (EU) 913/2010 of 22 September 2010 concerning a European rail network for competitive freight (hereinafter: Regulation), which entered into force on 9 November 2010. The purpose of the Regulation is to create a competitive European rail network composed of international freight corridors with a high level of performance. It addresses topics such as governance, investment planning, capacity allocation, traffic management and quality of service and introduces the concept of Corridor One-Stop-Shops.

In total, eleven corridors are now implemented and subsequent Commission Decisions determined several corridor extensions. The map of the corridors is displayed in the [Customer Information Platform \(CIP\)](#).

The role of the corridors is to increase the competitiveness of international rail freight in terms of performance, capacity allocation, harmonisation of procedures and reliability with the aim to support the shift from road to rail and to promote the railway as a sustainable transport system.

1.2 Purpose of the CID

The Corridor Information Document (CID) is set up to provide all corridor-related information and to guide all applicants and other interested parties easily through the workings of the Corridor in line with Article 18 of the Regulation.

This CID applies the RNE CID Common Texts and Structure so that applicants can access similar documents for different corridors and in principle, as in the case of the national Network Statements (NS), find the same information in the same place in each one.

For ease of understanding and in order to respect the particularities of some corridors, common procedures are always written at the beginning of a chapter. The particularities of the Corridor are placed below the common text and marked as follows:



The Corridor Orient/East-Med-specific parts are displayed in this frame.

The CID is divided into four Sections:

- Section 1: General Information,
- Section 2: Network Statement Excerpts,
- Section 3: Terminal Description,
- Section 4: Procedures for Capacity, Traffic and Train Performance Management.

According to the Regulation, the Corridor shall also publish an Implementation Plan, which covers the following topics:

- Description of the characteristics of the Corridor,
- Essential elements of the Transport Market Study (TMS),

- Objectives and performance of the Corridor,
- Indicative investment plan,
- Measures to implement Articles 12 to 19 of the Regulation.

During the drafting of the Implementation Plan, the input of the stakeholders is taken into account following a consultation phase. The Implementation Plan is approved by the Executive Board of the Corridor before publication.



The Implementation Plan of the Corridor can be found under the following link:

<https://www.rfc7.eu/corridor-information-document>

1.3 Corridor Description

The railway lines of the Corridor are divided into:

- **Principal lines:** on which PaPs are offered,
- **Diversions lines:** on which PaPs may be considered temporarily in case of disturbances, e.g. long-lasting major construction works on the principal lines,
- **Connecting lines:** lines connecting the corridor lines to a terminal (on which PaPs may be offered but without an obligation to do so),
- **Expected lines:** any of above-mentioned which are either planned for the future or under construction but not yet completely in service. An expected line can also be an existing line which shall be part of the RFC in the future.

For further details on the geographical alignment of the Corridor please refer to the CIP under: <https://cip-online.rne.eu/>.

1.4 Corridor Organisation

In accordance with Article 8 of the Regulation, the governance structure of the Corridor assembles the following entities:

- **Executive Board (ExBo):** composed of the representatives of the Ministries of Transport along the Corridor.
- **Management Board (MB):** composed of representatives of the IMs and (where applicable) ABs along the Corridor, responsible for the development of the Corridor. The MB is the decision-making body of the respective Corridor.



Eight EU member states are involved in Corridor Orient/East-Med as the picture below shows. The Management Board has even more members, as in Hungary there are two infrastructure managers registered and therefore a capacity allocation office is also concerned. Both the ExBo and the MB takes its decisions based on a mutual consent. These two bodies were established by a signature of a memorandum of understanding among the parties, signed already in 2011.



- Railway Undertaking Advisory Group (RAG): composed of RUs interested in the use of the Corridor.
- Terminal Advisory Group (TAG): composed of managers and owners of the terminals of the Corridor, including, where necessary, sea and inland waterway ports.




The voice of customers is taken into account via the Terminal and the Railway Undertaking Advisory Groups. In these groups participation is on a voluntary basis. Advisory Groups members have a dedicated area in the CORRIDOR ORIENT/EAST-MED website, where all materials on consultation are available, including the Consultation Rules, which is a public document. Registered members also got information via e-mail.

Eighteen Advisory Group meetings have been organized so far:

- 30th October 2012, Kick-off meeting in Budapest
- 30th April 2013 in Budapest
- 14th October 2013 at WienCont Terminal in Vienna
- 2nd April 2014 in Sopron
- 14th October 2014 in Bratislava
- 28th April 2015 in Prague
- 21st October 2015 in Budapest
- 24th May 2016 in Budapest
- 24th November 2016 in Bucharest
- 9th May 2017 in Athens
- 10th October 2017 in Budapest (BILK Terminal)
- 13th June 2018 in Prague
- 13th November 2018 in Bonn
- 25th June 2019 in Athens
- 15th October 2019 in Budapest
- 6th October 2020 in Budapest (partially online)
- 14th April 2021 – online
- 5th October 2022 – in Budapest, jointly organized with RFC Rhine-Danube (partially online)


- 30th March 2023 in Wien, jointly organized with RFC Rhine-Danube
- 21st November 2023 in Prague, jointly organized with RFC Rhine-Danube

The organigram of the Corridor can be found below.




The Corridor organisation is based on a contractual agreement between the IMs and (where applicable) ABs along the Corridor.

For the execution of the common tasks the MB has decided to build up the following structure:

	
<p>The Management Board acts in the form of cooperation, apart from the Memorandum of Understanding which set up officially this body, the rules of cooperation are laid down in the document called Internal Rules of Procedure.</p> <p>The tasks of the Management Board are coordinated and implemented by a Secretariat in form of an operational management model which is carried out by the Hungarian infrastructure manager MÁV. Furthermore, the different working groups of Corridor Orient/East-Med are also involved in the implementation of the MB tasks.</p>	
Name of Working Group	Main tasks
Marketing WG	Transport Market Study, Satisfaction Survey, performance objectives and monitoring, definition of Pre-arranged Paths and reserve capacity, Non-RU Applicants.
Traffic Management WG	Harmonisation of traffic management in case of disturbance, working out solutions and procedures for improving the


	<p>punctuality and reducing the waiting times during the train run. Effective communication between TCCs.</p> <p>In the framework of TPM Coordination working together with the concerned RUs in order to increase the train performance of RFC OEM.</p> <p>Active participation in data quality and train linking.</p>
One-Stop Shop WG	C-OSS operation rules, Corridor Information Document, definition of Pre-arranged Paths and reserve capacity, coordination of capacity-allocation btw C-OSS & IMs & Terminals & Applicants.
Infrastructure Development WG	Investment Plan, inventory of projects and financial resources, harmonization of investments along the corridor.
Interoperability and ERTMS WG	Accelerating the establishment of better interoperability along the corridor and enhancing ERTMS deployment, ensure consistency with ERTMS E corridor.
TCR WG	Coordination of planned temporary capacity restrictions along the corridor.

To fulfil the tasks described in Article 13 of the Regulation, a Corridor One-Stop-Shop (C-OSS) was established as a single point of contact for requesting and receiving answers regarding infrastructure capacity for freight trains crossing at least one border along the Corridor. For contact details see 1.5 and 4.2.2.


<p>The Corridor One-Stop Shop (C-OSS), is carried out by the Rail Capacity Allocation Directorate (hereinafter referred as VPE) within KTI Hungarian Institute for Transport Sciences and Logistics, applying the representative C-OSS model of RNE (acting as an IM on behalf of all IMs).</p>

1.5 Contacts

Applicants and any other interested parties wishing to obtain further information can contact the following persons:

	<p>Orient / East-Med Corridor</p>
<p>The relevant contacts of Corridor Orient/East-Med are published on its website under the following link: https://www.rfc7.eu/contact</p> <p>National contact information can be found in Annex 1 of C-OSS Operational Rules</p>	

1.6 Legal status

This CID is drawn up, regularly updated and published in accordance with Article 18 of the Regulation regarding information on the conditions of use of the freight corridor. By applying for

capacity on the Corridor, the applicants accept the provisions of Section 4 of this CID. Parts of this CID may be incorporated into contractual documents.

Every effort has been made to ensure that the information is complete, correct and valid. The involved IMs/ABs accept no liability for direct or indirect damages suffered as a result of obvious defects or misprints in this CID or other documents. Moreover, all responsibility for the content of the national NSs or any external sites referred to in this publication (links) is declined.

1.7 Validity Period, Updating and Publishing

This CID is valid for timetable year 2025 and all associated capacity allocation processes related to this timetable year.

The CID is published for each timetable year on the 2nd Monday of January of the previous timetable year.

The CID can be updated when necessary according to:

- changes in the rules and deadlines of the capacity allocation process,
- changes in the railway infrastructure of the member states,
- changes in services provided by the involved IMs/ABs,
- changes in charges set by the member states,
- etc.

The CID is also available free of charge in the Network and Corridor Information (NCI) portal as described in 1.8.5. In the portal, several corridors can be selected to create a common CID in order to optimise efforts of applicants interested in using more than one corridor to find all relevant information about all of the corridors concerned.

1.8 IT tools

The Corridor uses the following common IT tools provided by RNE in order to facilitate fast and easy access to the corridor infrastructure / capacity and corridor-related information for the applicants.

1.8.1 Path Coordination System (PCS)

PCS is the single tool for publishing the binding PaP and RC offer of the Corridor and for placing and managing international path requests on the Corridor. Access to the tool is free of charge and granted to all applicants who have a valid, signed PCS User Agreement with RNE. To receive access to the tool, applicants have to send their request to RNE via support.pcs@rne.eu.

More information can be found in 4.2.5 of this CID and via <http://pcs.rne.eu>.

1.8.2 Train Information System (TIS)

TIS is a web-based application that supports international train management by delivering real-time train data concerning international trains. The relevant data are obtained directly from the IMs' systems. The IMs send data to TIS, where all the information from the different IMs is combined into one train run from departure or origin to final destination. In this manner, a train can be monitored from start to end across borders. TIS also provides support to the Corridor Train Performance Management by providing information for punctuality, delay and quality analysis.

All IMs on Corridor Orient/East-Med participate in TIS.

Applicants and operators of service facilities may also be granted access to TIS by signing the TIS User Agreement with RNE. By signing this Agreement, the TIS User agrees to RNE sharing train information with cooperating TIS Users. The TIS User shall have access to the data relating to its own trains and to the trains of other TIS Users if they cooperate in the same train run (i.e. data sharing by default).

Access to TIS is free of charge. A user account can be requested via the RNE TIS Support: support.tis@rne.eu. For more information please visit the RNE TIS website: <http://tis.rne.eu>.

1.8.3 Charging Information System (CIS)

CIS is an infrastructure charging information system for applicants provided by IMs and ABs. The web-based application provides fast information on indicative charges related to the use of European rail infrastructure and estimates the price for the use of international train paths. It is an umbrella application for the various national rail infrastructure charging systems. CIS also enables an RFC routing-based calculation of infrastructure charge estimates. It means that the users can now define on which RFC(s) and which of their path segments they would like to make a query for a charge estimate.

Access to CIS is free of charge without user registration. For more information please visit the RNE CIS website <http://cis.rne.eu> or contact the RNE CIS Support: support.cis@rne.eu.



All IMs on Corridor Orient/East-Med participate in CIS.

1.8.4 Customer Information Platform (CIP)

CIP is an interactive, internet-based information tool.

Access to the CIP is free of charge and without user registration.

For accessing the application, as well as for further information, use the following link:

<http://info-cip.rne.eu/>

By means of a Graphical User Interface (GUI), CIP provides precise information on the routing, terminals, specific track properties and infrastructure investment projects, as well as ICM lines and their re-routing options of the participating corridors. All essential corridor-related information documents, such as this CID, capacity offer and temporary capacity restrictions (TCRs) are also accessible in CIP.

1.8.5 Network and Corridor Information (NCI) portal

The NCI is a common web portal where NSs and CIDs are made available in a digitalised and user-friendly way.

Access to the NCI portal is free of charge and without user registration. For accessing the application, as well as for further information, use the following link: <http://nci.rne.eu/>.

1.9 Corridor Language

The common working language on the Corridor, as well as the original version of the CID, is English.

In case of inconsistencies between the English and the translated version, if existent, the English version of the CID always prevails.



Corridor Orient/East-Med has additional office language: Hungarian.

The language used in operations is determined by national law.

2 Network Statement Excerpts

Each IM and – if applicable – AB of the Corridor publishes its Network Statement (NS) for each timetable year on its website, as well as in a digitalised way in the NCI portal at <http://nci.rne.eu/> with the aim to give an easy and user-friendly access to network and corridor-related information to all the interested parties in line with Article 18 of the Regulation (see also 1.8.5).

The users can search in the contents of the various NS documents and easily compare them.



CFR Network Statement Excerpts can be found [here](#).

3 Terminal Description

Article 18 of the Regulation obliges the MB of the Corridor to publish a list of terminals belonging to the Corridor and their characteristics in the CID.

In accordance with Article 2.2c of the Regulation, ‘terminal’ means ‘*the installation provided along the freight corridor which has been specially arranged to allow either the loading and/or the unloading of goods onto/from freight trains, and the integration of rail freight services with road, maritime, river and air services, and either the forming or modification of the composition of freight trains; and, where necessary, performing border procedures at borders with European third countries*’.

According to Implementing Regulation (EU) 2177/2017, operators of service facilities, hence also terminal operators, are obliged to make available detailed information about their facilities to the IMs.

The purpose of this section of the CID is to give an overview of the terminal landscape along the Corridor while also including relevant information on the description of the terminals via links, if available.

The terminals along the Corridor are also displayed in a map in the CIP: <http://info-cip.rne.eu/>.

The information provided in this section of the CID and in the CIP are for information purposes only. The Corridor cannot guarantee that the terminals in the CIP are exhaustively displayed and that the information is correct and up-to-date.

The below terminal list provides a summary of the terminals along the Corridor, together with a link to a detailed terminal description, if provided by the terminal to the IM.

			
Country	Terminal Name	Handover Point	Link to Terminal Description
Federal Republic of Germany	RTB Bremerhaven	Bremerhaven-Speckenbüttel	https://rtb-bremerhaven.eu/
	NTB Bremerhaven	Bremerhaven-Speckenbüttel	https://www.ntb.eu/en/
	CTB Bremerhaven	Bremerhaven-Speckenbüttel	http://www1.eurogate.de/Terminals/Bremerhaven/MS-C-Gate-Bremerhaven
	MSC Gate Bremerhaven	Bremerhaven-Speckenbüttel	http://www.msccgate.de/terminal-info/MS-C-Gate
	CT Wilhelmshaven	Wilhelmshaven Ölweiche	http://www1.eurogate.de/Terminals/Wilhelmshaven
	NORDFROST Seehafen	Wilhelmshaven Ölweiche	https://www.iadeweserport.de/
	J.Müller Brake	Brake (Unterweser)	https://jmueller.de/en/
	Bremen Roland	Bremen	http://www.roland-umschlag.de/
	Hansakai Bremen	Bremen	https://jmueller.de/en/
	Hannover Nordhafen	Hannover-Linden	Link
	Hannover-Leineter	Hannover-Linden	Link
	MegaHub Lehrte	Lehrte West	https://megahub-lehrte.deutschebahn.com/megahub-lehrte
	Braunschweig Containerterminal	Braunschweig	https://www.braunschweig-hafen.de/
	Salzgitter GVZ	Groß Gleidingen	https://www.vps-bahn.de/de/
	Wolfsburg GVZ	Fallersleben	https://qvz-wolfsburg.de/
	Magdeburg Hanse-Terminal	Magdeburg Rothensee	https://www.magdeburg-hafen.de/home.html
	DUSS-Terminal Hamburg-Billwerder	Maschen	https://duss-terminal.dbnetze.com/duss/terminals_uebersicht/terminal_hamburg-8728338#
Hamburg – Container Terminal Altenwerder (CTA)	Maschen	https://hhla.de/unternehmen/tochterunternehmen/container-terminal-altenwerder-cta	

Country	Terminal Name	Handover Point	Link to Terminal Description
	Hamburg – Container Terminal Burchardkai (CTB)	Maschen	https://hhla.de/unternehmen/tochterunternehmen/container-terminal-burchardkai-ctb
	Hamburg-Waltershof (Eurogate)	Maschen	http://www1.eurogate.de/Terminals/Hamburg
	Hamburg – Container Terminal Tollerort (CTT)	Hamburg Süd	https://hhla.de/unternehmen/tochterunternehmen/container-terminal-tollerort-ctt
	Eurokombi Hamburg	Hamburg Süd	http://www.eurokombi.de/Ueberuns/EUROKOMBI
	Logistik- und Dienstleistungszentrum Elsterwerda	Elsterwerda	
	Riesa Hafen	Riesa	https://binnenhafen-sachsen.de/
	Torgau Hafen	Torgau	https://binnenhafen-sachsen.de/
	Roßlau Hafen	Roßlau	https://binnenhafen-sachsen.de/
	Alberthafen Dresden-Friedrichstadt	Dresden-Friedrichstadt	https://binnenhafen-sachsen.de/
	Railport Rostock	Rostock Seehafen Rbf	https://www.rostock-port.de/
	Rostock Trimodal - RTM	Rostock Seehafen Rbf	https://www.rostock-port.de/
	Berlin-Westhafen	Berlin-Westhafen	https://www.behala.de/
Czech Republic	Trimodal Terminal Port Děčín - Loubí	Děčín východ d.n.	https://binnenhafen-sachsen.de/
	Trimodal Terminal Ústí nad Labem	Ústí n.L.hl.n.sever	https://metrans.eu/solutions/metrans-terminal-deport-solutions/usti-nad-labem-cz/
	Intermodal Terminal Lovosice	Lovosice	http://cdduss.com/
	Port Mělník	Mělník	Link
	Terminál Praha - Uhřetěves	Praha - Uhřetěves	https://metrans.eu/solutions/metrans-terminal-deport-solutions/hub-prague-cz/

Country	Terminal Name	Handover Point	Link to Terminal Description
	Terminál Pardubice	Pardubice hl.n.	Link
	RAIL HUB - Terminál Česká Třebová	Česká Třebová	https://metrans.eu/solutions/metrans-terminal-deport-solutions/hub-cesta-trebova-cz/
	Terminál Přerov - Horní Moštěnice	Přerov přednádraží	https://www.railcargo.com/cs/
	Terminál Ostrava - Paskov	Ostrava-Kunčice	https://www.pkpcargointernational.com/en/what-are-we-doing/intermodal-transport
	Terminál Brno - Horní Heršpice	Brno jih	https://www.railcargo.com/cs/
Austria	Terminal Wien Freudenau Hafen	Kaiserebersdorf	https://www.wiencont.com/
	Terminal Wien Süd (CCT)	Blumental	Link
Slovakia	Slovenská plavba a prístavy a.s.	Bratislava ÚNS	http://www.spap.sk/en
	Rail Cargo Operator Terminal Bratislava	Bratislava ÚNS	Link
	RAIL HUB – Dunajská Streda	Dunajská Streda	https://metrans.eu/solutions/metrans-terminal-deport-solutions/hub-dunajska-streda-sk/
	Priemyselný park Štúrovo	Štúrovo	http://ppsturovo.sk/en/home/
Hungary	Terminal GYSEV Sopron	Sopron-Rendező	https://www.gysevcargo.hu/en/intermodal-service
	ÁTI Depó Győr	Győr-Rendező	https://www.atidepo.hu/gyor?lang=en
	Győr-Gönyű Kikötő	Győr-Rendező	http://www.portofgyor.hu/
	Railport Győr	Győr-Rendező	https://hu.dbcargo.com/rail-hu-en/products-services/railport
	Rail Cargo Terminal BILK	Soroksár-Terminál	http://www.railcargobilk.hu/en
	Budapest Szabadkikötő	Soroksári út rendező	http://www.bszi.hu/?lang=en
	RAIL HUB - Budapest	Soroksári út rendező	https://metrans.eu/solutions/metrans-terminal-deport-solutions/hub-budapest-hu/
	Mahart Container Center	Soroksári út rendező	https://containercenter.hu/en/teminal_services/index.php
	Szolnoki Ipari Park Kft.	Szolnok	http://www.ipariparkszolnok.hu/en/formatio-n-of-logistic-centre/

Country	Terminal Name	Handover Point	Link to Terminal Description
Romania	Railport Arad	Curtici	https://www.railportarad.ro/en
	Arad South Terminal	Valea Viilor Hm	https://afluent.com/arad-south-terminal/
	Ebit – EB Intermodal Terminal	Episcopia Bihor	https://ebitmodal.ro/en/
	Terminal Oradea Intermodal Vest	Oradea Est	https://www.transmecgroup.com/en
	Terminal Cluj Napoca	Cluj Napoca Est	https://www.transmecgroup.com/en
	Turda	Câmpia Turzii	http://www.rofersped.ro/
	Tibbett Logistics	Chiajna	https://www.yusen-logistics.com/en/europe/romania/
	Terminal București Sud	București Sud	https://rocombi.ro/terminale/
	UMEX Terminal Constanța	Constanța Port Zona B	https://umex.ro/
	APM Terminal Constanța	Constanța Port Terminal F-B	https://www.apmterminals.com/#Constanta
	DP World Constanța	Constanța Port Terminal F-B	https://www.dpworld.com/constanta
	SOCEP Terminal Constanța	Constanța Port Zona B	http://www.socep.ro/
Bulgaria	Plovdiv Intermodal Terminal	Todor Kableshkov	http://pimkrail.eu/
	Port Complex Ruse	Ruse Razpred.	http://www.port-ruse-bg.com/en/
	Sofia - Yana	Ilianci	http://www.ecologistics.bg/en/
Hellenic Republic	Piraeus Container Terminal	Ikonio	https://www.pct.com.gr//index.php
	Volos Port	Volos	Link
	Thessaloniki Port	Thessaloniki	https://www.thpa.gr/en/
	Alexandroupolis Port	Alexandroupolis	https://www.ola-sa.gr/en-us/contactus.aspx
	Sindos Railcontainer Services	Sindos	https://srs-sa.com/
	Thrasio Logistic Center	Aspropyrgos N.	https://www.thrasiologistics.gr/

4 Procedures for Capacity, Traffic and Train Performance Management

4.1 Introduction

This Section of the CID describes the procedures for capacity allocation by the C-OSS, planned Temporary Capacity Restrictions (TCRs), Traffic Management and Train Performance Management on the Corridor.

All rules concerning applicants, the use of the C-OSS and its products — Pre-arranged Paths (PaPs) and Reserve Capacity (RC) — and how to order them are explained here. The processes, provisions and steps related to PaPs and RC refer to Regulation (EU) No. 913/2010 and are valid for all applicants. For all other issues, the relevant conditions presented in the Network Statements of the IMs/ABs concerned are applicable.

Pilots are being conducted on parts of some RFCs to test the results of the RNE-FTE project Redesign of the International Timetabling Process: 'TTR for Smart Capacity Management' (TTR).

For a complete and up-to-date overview of lines concerned by the aforesaid pilots, refer to the 'TTR Pilots Communication Platform' maintained by RNE under the URL: <https://rne.eu/capacity-management/ttr/implementation/pilots-and-mvp/>.

Specific rules and terms for capacity allocation are applicable on these parts of the Corridors, which the MB of the particular Corridor decides upon.



This Corridor does not participate in a TTR pilot project.

Some of these pilots follow the rules and terms described and defined in Annex 4 of the Framework for Capacity Allocation. For all other lines of the above Corridors, the rules described in this Section 4 apply.

This document is revised and updated every year before the start of the yearly allocation process for PaPs. Changes in the legal basis of this document (e.g. changes in EU regulations, Framework for Capacity Allocation or national regulations) will be implemented with each revision.

Any changes during the running allocation process will be communicated directly to the applicants through publication on the Corridor's website.

4.2 Corridor OSS

According to Article 13 of the Regulation, the MB of the Corridor has established a C-OSS. The tasks of the C-OSS are carried out in a non-discriminatory way and it maintains confidentiality regarding applicants.

4.2.1 Function


The C-OSS is the only body where applicants may request and receive dedicated infrastructure capacity for international freight trains on the Corridor. The handling of the requests takes place in a single place and a single operation. The C-OSS is exclusively responsible for performing all the activities related to the publication and allocation decision with regard to requests for PaPs and RC on behalf of the IMs / ABs concerned.

4.2.2 Contact

	
Address	KTI Hungarian Institute for Transport Sciences and Logistics Non Profit Limited Liability Company Rail Capacity Allocation Directorate (VPE) 3-5. Than Károly Street, Budapest 1119 Hungary
Phone	+36 30 696 8555
Email	baloghj@vpe.hu coss@rfc7.com

4.2.3 Language of the C-OSS

The official language of the C-OSS for correspondence is English.

	
The C-OSS has additional official languages for correspondence: Hungarian	

4.2.4 Tasks of the C-OSS

The C-OSS executes the tasks below during the following processes:

- Collection of international capacity wishes:
 - Consult all interested applicants in order to collect international capacity wishes and needs for the annual timetable by having them fill in a survey. This survey is sent by the C-OSS to the applicants and/or published on the Corridor's website. The results of the survey will be one part of the inputs for the predesign of the PaP offer. It is important to stress that under no circumstances the Corridor can guarantee the fulfilment of all expressed capacity wishes, nor will there be any priority in allocation linked to the provision of similar capacity.
- Predesign of PaP offer:
 - Give advice on the capacity offer, based on input received from the applicants, and the experience of the C-OSS and IMs/ABs, based on previous years and the results of the Transport Market Study
- Construction phase:
 - Monitor the PaP/RC construction to ensure harmonised border crossing times, calendar days and train parameters
- Publication phase:
 - Publish the PaP catalogue at X-11 in the Path Coordination System (PCS)
 - Inspect the PaP catalogue in cooperation with IMs/ABs, perform all needed corrections of errors detected by any of the involved parties until X-10.5
 - Publish offer for the late path request phase (where late path offer is applicable) in PCS

- Publish the RC at X-2 in PCS
- Allocation phase: annual timetable (annual timetable process)
 - Collect, check and review all requests for PaPs including error fixing when possible
 - Create a register of the applications and keep it up-to-date (see 4.2.4.1)
 - Manage the resolution of conflicting requests through consultation where applicable
 - In case of conflicting requests, take a decision on the basis of priority rules adopted by the Executive Board along the Corridor (see Framework for Capacity Allocation (FCA) in Annex 4.A)
 - Propose alternative PaPs, if available, to the applicants whose applications have a lower priority value (K value) due to a conflict between several path requests
 - Transmit path requests that cannot be treated to the IM/AB concerned, in order for them to elaborate tailor-made offers
 - Pre-book capacity and inform applicants about the results at X-7.5
 - Allocate capacity (PaPs) in conformity with the relevant international timetabling deadlines and processes as defined by RailNetEurope (RNE) and according to the allocation rules described in the FCA
 - Monitor the construction of feeder and/or outflow paths by sending these requests without delay to the IMs/ABs concerned and obtain their responses/offers. In case of non-consistent offers (e.g. non-harmonised border times), ask for correction
 - Send the responses/offers (draft offer and final offer including feeder and outflow) to the applicants on behalf of the IMs/ABs concerned
 - Keep the PaP catalogue updated
- Allocation phase: late path requests (annual timetable process)
 - Collect, check and review all requests for the late path request phase including error fixing when possible
 - Allocate capacity for the late path request phase where applicable
 - Monitor the construction of feeder and/or outflow paths by sending these requests to the IMs/ABs concerned and obtain their responses/offers. In case of non-consistent offers (e.g. non-harmonised border times), ask for correction
 - Send the responses/offers to the applicants on behalf of the IMs/ABs concerned
 - Keep the catalogue concerned updated
- Allocation phase: ad-hoc requests (RC) (running timetable process)
 - Collect, check and review all requests for RC including error fixing when possible
 - Create a register of the applications and keep it up-to-date
 - Allocate capacity for RC
 - Monitor the construction of feeder and/or outflow paths by sending these requests without delay to the IMs/ABs concerned and obtain their responses/offers. In case of non-consistent offers (e.g. non-harmonised border times), ask for correction
 - Send the responses/offers to the applicants on behalf of the IMs/ABs concerned
 - Keep the RC catalogue updated

4.2.4.1 Path register

The C-OSS manages and keeps a path register up-to-date for all incoming requests, containing the dates of the requests, the names of the applicants, details of the documentation supplied and of incidents that have occurred. A path register shall be made freely available to all applicants concerned without disclosing the identity of other applicants, unless the applicants concerned have agreed to such a disclosure. The contents of the register will only be communicated to them on request.

4.2.5 Tool

PCS is the single tool for publishing the binding PaP and RC offer of the Corridor and for placing and managing international path requests on the Corridor (see also 1.8.1). Access to the tool is free of charge and granted to all applicants who have a valid, signed PCS User Agreement with RNE. To receive access to the tool, applicants have to send their request to RNE via support.pcs@rne.eu.

Applications for PaPs/RC can only be made via PCS to the involved C-OSS. If the application is made directly to the IMs/ABs concerned, they inform the applicant that they have to place a correct PaP request in PCS via the C-OSS according to the applicable deadlines. PaP capacity requested only through national tools will not be allocated.

In other words, PaP/RC applications cannot be placed through any other tool than PCS.

4.3 Capacity allocation

The decision on the allocation of PaPs and RC on the Corridor is taken by the C-OSS on behalf of the IMs/ABs concerned. As regards feeder and/or outflow paths, the allocation decision is made by the relevant IMs/ABs and communicated to the applicant by the C-OSS. Consistent path construction containing the feeder and/or outflow sections and the corridor-related path section has to be ensured.

All necessary contractual relations regarding network access have to be dealt with bilaterally between the applicant and each individual IM/AB.

4.3.1 Framework for Capacity Allocation

Referring to Article 14.1 of the Regulation, the Executive Boards of the Rail Freight Corridors agreed upon a common Framework for Capacity Allocation. The document is available in Annex 4.A. and below.



The FCA can be found at: <https://www.rfc7.eu/corridor-information-document>

The FCA constitutes the basis for capacity allocation by the C-OSS.

4.3.2 Applicants

In the context of a Corridor, an applicant means a railway undertaking or an international grouping of railway undertakings or other persons or legal entities, such as competent authorities under Regulation (EC) No. 1370/2007 and shippers, freight forwarders and combined transport operators, with a commercial interest in procuring infrastructure capacity for rail freight.

Applicants shall accept the general terms and conditions of the Corridor as stipulated in this CID by accepting the respective check-box in PCS before placing their requests.

Without accepting the general terms and conditions, the applicant will not be able to send the request. In case a request is placed by several applicants, every applicant requesting PaP sections has to accept the general terms and conditions for each corridor on which the applicant is requesting a PaP section. In case one of the applicants only requests a feeder or outflow section, the acceptance of the general terms and conditions is not needed.


The acceptance shall be done only once per applicant and per corridor and is valid for one timetable period.

With the acceptance the applicant declares that it:

- has read, understood and accepted the Corridor's CID and, in particular, this Section 4,
- complies with all conditions set by applicable legislation and by the IMs/ABs involved in the paths it has requested, including all administrative and financial requirements,
- shall provide all data required for the path requests,
- accepts the provisions of the national Network Statements applicable to the path(s) requested.

In case of a non-RU applicant, it shall appoint the RU that will be responsible for train operation and inform the C-OSS and IMs/ABs about this RU as early as possible, but at the latest 30 days before the running day. If the appointment is not provided by this date, the PaP/RC is considered as cancelled, and national rules for path cancellation are applicable.

In case the applicant is a non-RU applicant, and applies for feeder / outflow paths, the national rules for nomination of the executing RU will be applied. In the table below the national deadlines for nomination of the executing RU for feeder / outflow paths can be found.

	
IM	Deadline
DB InfraGO	30 days before first running day
Správa železnic	For annual TT requests (including late path requests) no later than on the deadline for submitting Late Path Requests on SZCZ network (2nd September 2024), for other requests before capacity allocation.
ŽSR	30 days before first running day
ÖBB Infra	<ul style="list-style-type: none"> • Until 30 days before the train run • At least with the introduction of the desire if the time is shorter
MÁV/GYSEV/VPE	10 days before first running day
CFR	There are no different deadlines for applicants in the national rules. Until now, In Romania no route requests have been received from non-RU applicant.
NRIC	30 days before first running day
OSE	30 days before first running day

4.3.3 Requirements for requesting capacity

The Corridor applies the international timetabling deadlines defined by RNE for placing path requests as well as for allocating paths (for the Corridor calendar, see <https://rne.eu/capacity-management/capacity-planning-timetabling/> or Annex 4.B).

All applications have to be submitted via PCS, which is the single tool for requesting and managing capacity on all corridors. The C-OSS is not entitled to create PCS dossiers on behalf

of the applicant. If requested, the C-OSS can support applicants in creating the dossiers in order to prevent inconsistencies and guide the applicants' expectations (maximum 1 week prior to the request deadline). The IMs/ABs may support applicants by providing a technical check of the requests.

A request for international freight capacity via the C-OSS has to fulfil the following requirements:

- it must be submitted to a C-OSS by using PCS, including at least one PaP/RC section (for access to PCS, see 1.8.1 and 4.2.5). Details are explained in the PCS User Manual (<https://docs.rne.eu/pcs/>)
- it must cross at least one border on a corridor,
- it must comprise a train run from origin to destination, including PaP/RC sections on one or more corridors as well as, where applicable, feeder and/or outflow paths, on all of its running days. In certain cases, which are due to technical limitations of PCS, a request may have to be submitted in the form of more than one dossier. These specific cases are the following:
 - Different origin and/or destination depending on running day (But using identical PaP/RC capacity for at least one of the IMs for which capacity was requested).
 - Transshipment from one train onto different trains (or vice versa) because of infrastructure restrictions.
 - The IM/AB specifically asks the applicant to split the request into two or more dossiers.

To be able for the C-OSS to identify such dossiers as one request, and to allow a correct calculation of the priority value (K value) in case a request has to be submitted in more than one dossier, the applicant shall indicate the link among these dossiers in PCS. Furthermore, the applicant shall mention the reason for using more than one dossier in the comment field.

- the technical parameters of the path request have to be within the range of the parameters – as originally published – of the requested PaP sections (exceptions are possible if allowed by the IM/AB concerned, e.g. when the timetable of the PaP can be respected)
- as regards sections with flexible times, the applicant may adjust/insert times, stops and parameters according to its individual needs within the given range.

4.3.4 Annual timetable phase

4.3.4.1 PaPs

PaPs are a joint offer of coordinated cross-border paths for the annual timetable produced by IMs/ABs involved in the Corridor. The C-OSS acts as a single point of contact for the publication and allocation of PaPs.

PaPs constitute an off-the-shelf capacity product for international rail freight services. In order to meet the applicants' need for flexibility and the market demand on the Corridor, PaPs are split up in several sections, instead of being supplied as entire PaPs, as for example from [Start Point(s)] to [End Point(s)]. Therefore, the offer might also include some purely national PaP sections – to be requested from the C-OSS for freight trains crossing at least one border on a corridor in the context of international path applications.

A catalogue of PaPs is published by the C-OSS in preparation of each timetable period. It is published in PCS and on the Corridor's website.

The PaP catalogue can be found under the following link:

https://www.rfc7.eu/path_request_submission

PaPs are published in PCS at X-11. Between X-11 and X-10.5 the C-OSS is allowed to perform, in PCS, all needed corrections of errors regarding the published PaPs detected by any of the involved parties. In this phase, the published PaPs have 'read only' status for applicants, who may also provide input to the C-OSS regarding the correction of errors.

4.3.4.2 Schematic corridor map

Symbols in schematic corridor map:

Nodes along the Corridor, shown on the schematic map, are divided into the following types:

➤ Handover Point

Point where planning responsibility is handed over from one IM to another. Published times cannot be changed. In case there are two consecutive Handover Points, only the departure time from the first Handover Point and the arrival time at the second Handover Point cannot be changed.

On the maps, this is shown as:



Handover Point

➤ Intermediate Point

Feeder and outflow connections are possible. If the path request ends at an Intermediate Point without indication of a further path, feeder/outflow or additional PaP section, the destination terminal / parking facility of the train can be mentioned. Intermediate Points also allow stops for train handling, e.g. loco change, driver change, etc. An Intermediate Point can be combined with a Handover Point.

On the maps, this is shown as:



Intermediate Point



Intermediate Point combined with Handover Point

➤ Operational Point

Train handling (e.g. loco change, driver change) are possible as defined in the PaP section. No feeder or outflow connections are possible.

On the maps, this is shown as:



Operational Point

A schematic map of the Corridor can be found in Annex 4C.

4.3.4.3 Features of PaPs


A PaP timetable is published containing one of the following features:

- Sections with fixed times (data cannot be modified in the path request by an applicant).
 - Capacity with fixed origin, intermediate and destination times within one IM/AB.

- Intermediate Points and Operational Points (as defined in 4.3.4.2) with fixed times. Requests for changes to the published PaP have to be examined by the IMs/ABs concerned and can only be accepted if they are feasible and if this does not change the calculation of the priority rule in case of conflicting requests at X-8.
- Sections with flexible times (data may be modified in the path request by an applicant according to individual needs, but without exceeding the given range of standard running times, stopping times and train parameters. Where applicable, the maximum number of stops and total stopping time per section have to be respected).
 - Applicants are free to include their own requirements in their PaP request within the parameters mentioned in the PaP catalogue.
 - Where applicable, the indication of standard journey times for each corridor section has to be respected.
 - Optional: Intermediate Points (as defined in 4.3.4.2) without fixed times. Other points on the Corridor may be requested.
 - Optional: Operational Points (as defined in 4.3.4.2) without fixed times.


Requests for changes outside of the above-mentioned flexibility have to be examined by the IMs/ABs concerned if they accept the requests. The changes can only be accepted if they are feasible.

The C-OSS promotes the PaPs by presenting them to existing and potential applicants.


Corridor Orient/East-Med offers PaPs with flexible times. See Annex 4D for details.

4.3.4.4 Multiple corridor paths

It is possible for capacity requests to cover more than one corridor. A PaP offer harmonised by different corridors may be published and indicated as such. The applicant may request PaP sections on different corridors within one request. Each C-OSS remains responsible for allocating its own PaP sections, but the applicant may address its questions to only one of the involved C-OSSs, who will coordinate with the other concerned C-OSSs whenever needed.


Multiple corridor paths on Corridor Orient/East-Med are displayed on the schematic map in Annex 4C.

4.3.4.5 PaPs on overlapping sections

The layout of the corridor lines leads to situations where some corridor lines overlap with others. The aim of the corridors, in this case, is to prepare the best possible offer, taking into account the different traffic flows and to show the possible solutions to link the overlapping sections concerned with the rest of the corridors in question.

In case of overlapping sections, corridors may develop a common offer, visible via all corridors concerned. These involved corridors will decide which C-OSS is responsible for the final allocation decision on the published capacity. In case of conflict, the responsible C-OSS will deal with the process of deciding which request should have priority together with the other C-OSSs. In any case, the applicant will be consulted by the responsible C-OSS.

Description of common offers on overlapping sections on Corridor Orient/East-Med can be found on the schematic map in Annex 4C.

Overlapping section with common offer	Involved RFCs	Responsible C-OSS
Bremen - Bremerhaven	North Sea – Baltic Orient/East-Med	North Sea – Baltic
Bremen - Wilhelmshaven	North Sea – Baltic Orient/East-Med	North Sea – Baltic
Bremen – Magdeburg	North Sea – Baltic Orient/East-Med	North Sea – Baltic
Hamburg – Magdeburg	North Sea – Baltic Orient/East-Med	North Sea – Baltic
Magdeburg – Dresden	North Sea – Baltic Orient/East-Med	North Sea – Baltic
Rostock – Dresden	North Sea – Baltic Orient/East-Med	North Sea – Baltic
Dresden – Děčín	North Sea – Baltic Orient/East-Med	North Sea – Baltic
Děčín – Lovosice – Praha	North Sea – Baltic Orient/East-Med	North Sea – Baltic
Děčín – Mělník – Kolín	North Sea – Baltic Orient/East-Med	North Sea – Baltic
Bratislava - Rajka	Orient/East-Med Amber	Orient/East-Med
Bratislava – Dunajská Streda – Komárom	Orient/East-Med Amber	Orient/East-Med
Sopron – Győr – Komárom	Orient/East-Med Amber	Orient/East-Med
Komárom - Ferencváros	Orient/East-Med Amber	Orient/East-Med
Nové Zámky – Štúrovo – Ferencváros	Orient/East-Med Amber	Orient/East-Med
Wien Zvbf - Hegyeshalom	Rhine-Danube Orient/East-Med	Orient/East-Med
Wien Zvbf – Ebenfurth - Sopron	Rhine-Danube Orient/East-Med	Orient/East-Med
Hegyeshalom – Ferencváros	Rhine-Danube Orient/East-Med	Orient/East-Med
Sopron – Győr	Rhine-Danube Orient/East-Med	Orient/East-Med
Ferencváros – Lőkősháza/Curtici	Rhine-Danube Orient/East-Med	Orient/East-Med
Szajol – Biharkeresztes/Episcopia Bihor	Rhine-Danube Orient/East-Med	Orient/East-Med
Curtici – Timisoara – Craiova	Rhine-Danube Orient/East-Med	Orient/East-Med

Curtici – Simeria – Craiova	Rhine-Danube Orient/East-Med	Orient/East-Med
Craiova – Videle – Bucuresti	Rhine-Danube Orient/East-Med	Orient/East-Med
Simeria – Brasov – Bucuresti	Rhine-Danube Orient/East-Med	Orient/East-Med
Bucuresti – Constanta	Rhine-Danube Orient/East-Med	Orient/East-Med
Episcopia Bihor – Cluj Napoca – Coslariu	Rhine-Danube Orient/East-Med	Orient/East-Med


4.3.4.6 Feeder, outflow and tailor-made paths

In case available PaPs do not cover the entire requested path, the applicant may include a feeder and/or outflow path to the PaP section(s) in the international request addressed to the C-OSS via PCS in a single request.

A feeder/outflow path refers to any path section prior to reaching an Intermediate Point on a corridor (feeder path) or any path section after leaving a corridor at an Intermediate Point (outflow path).

Feeder / outflow paths will be constructed on request in the PCS dossiers concerned by following the national path allocation rules. The offer is communicated to the applicant by the C-OSS within the same time frame available for the communication of the requested PaPs. Requesting a tailor-made path between two PaP sections is possible, but because of the difficulty for IMs/ABs to link two PaP sections, a suitable offer might be less likely (for further explanation see 4.3.4.16).

Graph with possible scenarios for feeder/outflow paths in connection with a request for one or more PaP section(s):



4.3.4.7 Handling of requests

The C-OSS publishes the PaP catalogue at X-11 in PCS, inspects it in cooperation with IMs/ABs, and performs all needed corrections of errors detected by any of the involved parties until X-10.5. Applicants can submit their requests until X-8. The C-OSS offers a single point of contact to applicants, allowing them to submit requests and receive answers regarding corridor capacity for

international freight trains crossing at least one border on a corridor in one single operation. If requested, the C-OSS can support applicants in creating the dossiers in order to prevent inconsistencies and guide the applicants' expectations. The IMs/ABs may support the applicants by providing a technical check of the requests.

4.3.4.8 Leading tool for the handling of capacity requests

Applicants sending requests to the C-OSS shall use PCS. PCS is used to manage the complete international path: PaP section, feeder and/or outflow and tailor-made path. Within the construction process of feeder and/or outflow paths and tailor-made paths, the national tool may show additional information to the applicant.

The following matrix shows for each step of the process which tool is considered as the leading tool.

Phase	Application (till X-8)	Withdrawal (X-8)	Pre-booking (X-7.5)	Draft offer (X-5)	Observation (X-5 till X-4)	Final offer (X-3.5)	Acceptance (until X-3)	Modification (after X-4)	Cancellation (after X-4)
Leading tool	PCS	PCS	PCS	PCS	PCS	PCS	PCS	National tool/PCS	National tool/PCS
Additional tool			Email (for pre-booking information)						



On DB InfraGO and Správa železnic networks the national IT system is the only binding tool to place request for modification and cancellation. The usage of PCS for these operations is additional only.

On NRIC network paths allocated by C-OSS can only be modified/cancelled in PCS.

4.3.4.9 Check of the applications

The C-OSS assumes that the applicant has accepted the published PaP characteristics by requesting the selected PaP. However, for all incoming capacity requests it will perform the following plausibility checks:

- Request for freight train using PaP and crossing at least one border on a corridor
- Request without major change of parameters

If there are plausibility flaws, the C-OSS may check with the applicant whether these can be resolved:

- if the issue can be solved, the request will be corrected by the C-OSS (after the approval of the applicants concerned) and processed like all other requests. The applicant has to accept or reject the corrections within 5 calendar days. In case the applicant does not answer or reject the corrections, the C-OSS forwards the original request to the IM/AB concerned.
- if the issue cannot be resolved, the request will be rejected.

All requests not respecting the published offer are immediately forwarded by the C-OSS to the IM/AB concerned for further treatment. In those cases, answers are provided by the involved IM/AB. The IMs/ABs will accept them as placed in time (i.e. until X-8).

In case of missing or inconsistent data the C-OSS directly contacts the leading applicant and asks for the relevant data update/changes to be delivered within 5 calendar days.

In general: in case a request contains PaPs on several corridors, the C-OSSs concerned check the capacity request in cooperation with the other involved C-OSS(s) to ensure their cooperation in treating multiple corridor requests. This way, the cumulated length of PaPs requested on each corridor is used to calculate the priority value (K value) of possible conflicting requests (see more details in 4.3.4.11). The different corridors can thus be seen as part of one combined network.

4.3.4.10 Pre-booking phase

In the event of conflicting requests for PaPs placed until X-8, a priority rule is applied. The priority rules are stated in the FCA (Annex 4.A) and in 4.3.4.11.

On behalf of the IMs/ABs concerned and according to the result of the application of the priority rules - as detailed in 4.3.4.11 - the C-OSS pre-books the PaPs.

The C-OSS also forwards without delay the requested feeder/outflow path and/or adjustment to the IMs/ABs concerned for elaboration of a timetable offer fitting to the PaP already reserved (pre-booked), just as might be the case with requests with a lower priority value (priority rule process below). The latter will be handled in the following order:

- consultation may be applied
- alternatives may be offered (if available)
- if none of the above steps were applied or successful, the requested timetable will be forwarded without delay to the IMs/ABs concerned to elaborate a tailor-made offer as close as possible to the initial request.

4.3.4.11 Priority rules in capacity allocation

Conflicts are solved with the following steps, which are in line with the FCA:

- A) A resolution through consultation may be promoted and performed between applicants and the C-OSS, if the following criteria are met:
 - o The conflict is only on a single corridor.
 - o Suitable alternative PaPs are available.
- B) Applying the priority rule as described in Annex 1 of the FCA (see Annex 4.A) and in 4.3.4.13 and 4.3.4.14.
 - a. Cases where no Network PaP is involved (see 4.3.4.13)
 - b. Cases where Network PaP is involved in at least one of the requests (see 4.3.4.14)

The Table of Distances in Annex 4.E shows the distances taken into account in the priority calculation.

- C) Random selection (see 4.3.4.15).

In the case that more than one PaP is available for the published reference PaP, the C-OSS pre-books the PaPs with the highest priority until the published threshold is reached. When this threshold is reached, the C-OSS will apply the procedure for handling requests with a lower priority as listed above.



Corridor Orient/East-Med does not apply the resolution through consultation.

4.3.4.12 Network PaP

A Network PaP is not a path product. However, certain PaPs may be designated by corridors as 'Network PaPs', in most cases for capacity requests involving more than one corridor. Network PaPs are designed to be taken into account for the definition of the priority of a request, for example on PaP sections with scarce capacity. The aim is to make the best use of available capacity and provide a better match with traffic demand.



Corridor Orient/East-Med does not designate any Network PaPs

4.3.4.13 Priority rule in case no Network PaP is involved

The priority is calculated according to this formula:

$$K = (L^{PAP} + L^{F/O}) \times Y^{RD}$$

L^{PAP} = Total requested length of all PaP sections on all involved RFCs included in one request. The definition of a request can be found in Chapter 4.3.3.

$L^{F/O}$ = Total requested length of the feeder/outflow path(s) included in one request; for the sake of practicality, is assumed to be the distance as the crow flies.

Y^{RD} = Number of requested running days for the timetable period. A running day will only be taken into account for the priority calculation if it refers to a date with a published PaP offer for the given section.

K = The rate for priority

All lengths are counted in kilometres.

The method of applying this formula is:

- in a first step the priority value (K) is calculated using only the total requested length of pre-arranged path (L^{PAP}) multiplied by the Number of requested running days (Y^{RD});
- if the requests cannot be separated in this way, the priority value (K) is calculated using the total length of the complete paths ($L^{PAP} + L^{F/O}$) multiplied by the number of requested running days (Y^{RD}) in order to separate the requests;
- if the requests cannot be separated in this way, a random selection is used to separate the requests. This random selection is described in 4.3.4.15.

4.3.4.14 Priority rule if a Network PaP is involved in at least one of the conflicting requests



Network PaPs are not being offered by the Corridor.

4.3.4.15 Random selection

If the requests cannot be separated by the above-mentioned priority rules, a random selection is used to separate the requests.

- The respective applicants will be acknowledged of the undecided conflict before X-7.5 and invited to attend a drawing of lots.

- The actual drawing will be prepared and executed by the C-OSS, with complete transparency.
- The result of the drawing will be communicated to all involved parties, present or not, via PCS and e-mail, before X-7.5.




Implementation of the random selection is based on the choice of the respective RUs concerning the exact procedure to be applied.

4.3.4.16 Special cases of requests and their treatment

The following special use of PaPs is known out of the allocation within the past timetables: Division of continuous offer in shares identified by the PaP ID (PaPs / non-PaPs). This refers to the situation when applicants request corridor capacity (on one or more corridors) in the following order:

- 1) PaP section
- 2) Tailor-made section
- 3) PaP section



These requests will be taken into consideration, depending on the construction starting point in the request, as follows:

- Construction starting point at the beginning: The C-OSS pre-books the PaP sections from origin until the end of the first continuous PaP section. No section after the interruption of PaP sections will be pre-booked; they will be treated as tailor-made.
- Construction starting point at the end: The C-OSS pre-books the PaP sections from the destination of the request until the beginning of the last continuous PaP section. No sections between the origin and the interruption of the PaP sections will be pre-booked; they will be treated as tailor-made.

- Construction starting point in the middle: The C-OSS pre-books the longest of the requested PaP sections either before or after the interruption. No other sections will be pre-booked; they will be treated as tailor-made.

However, in each of the above cases, the requested PaP capacity that becomes tailor-made might be allocated at a later stage if the IMs/ABs can deliver the tailor-made share as requested. In case of allocation, the PaP share that can become tailor-made retains full protection. This type of request doesn't influence the application of the priority rule.

4.3.4.17 Result of the pre-booking

The C-OSS provides interim information to applicants regarding the status of their application no later than X-7.5.

In the case that consultation was applied, the applicants concerned are informed about the outcome.

In the case that no consultation was applied, the interim notification informs applicants with a higher priority value (K value) about pre-booking decisions in their favour.

In case of conflicting requests with a lower priority value, the C-OSS shall offer an alternative PaP, if available. The applicant concerned has to accept or reject the offered alternative within 5 calendar days. In case the applicant does not answer, or rejects the alternative, or no alternative is available, the C-OSS forwards the original request to the IM/AB concerned. The C-OSS informs the applicants with a lower priority value (K value) by X-7.5 that their path request has been forwarded to the IM/AB concerned for further treatment within the regular process for the annual timetable construction, and that the C-OSS will provide the draft path offer on behalf of the IM/AB concerned at X-5 via PCS. These applications are handled by the IM/AB concerned as on-time applications for the annual timetable and are therefore included in the regular national construction process of the annual timetable.

4.3.4.18 Handling of non-requested PaPs

There are two ways of handling non-requested PaPs at X-7.5, based on the decision of the MB.

- A) After pre-booking, all non-requested PaPs are handed over to the IM/AB.
- B) The MB takes a decision regarding the capacity to be republished after X-7.5. This decision depends on the "booking situation" at that moment. More precisely, at least the following three criteria must be fulfilled in the following order of importance:
 1. There must be enough capacity for late requests, if applicable, and RC.
 2. Take into account the demand for international paths for freight trains placed by other means than PCS.
 3. Take into account the need for modification of the capacity offer due to possible changes in the planning of TCRs.



Corridor Orient/East-Med handles non-Requested PaPs according to **B**, with the following difference:

The decision on the further procedure is made by the individual IM – based on decision no. 11 of the MB, Sept. 2014.

4.3.4.19 Draft offer

After receiving the pre-booking decision by the C-OSS, the IMs/ABs concerned will elaborate the flexible parts of the requests:

- Feeder, outflow or intermediate sections
- Pre-booked sections for which the published timetable is not available anymore due to external influences, e.g. temporary capacity restrictions
- In case of modifications to the published timetable requested by the applicant
- In case of an alternative offer that was rejected by the applicant or is not available

In case IMs/ABs cannot create the draft offer due to specific wishes of the applicant not being feasible, the C-OSS has to reject the request.

The C-OSSs shall be informed about the progress, especially regarding the parts of the requests that cannot be fulfilled, as well as conflicts and problems in harmonising the path offers.

At the RNE draft timetable deadline (X-5) the C-OSS communicates the draft timetable offer for every handled request concerning pre-booked PaPs including feeder and/or outflow, tailor-made sections and tailor-made offers in case of conflicting requests to the applicant via PCS on behalf of the IM/AB concerned.

4.3.4.20 Observations

Applicants can place observations on the draft timetable offer in PCS one month from the date stated in Annex 4B, which are monitored by the C-OSS. The C-OSS can support the applicants regarding their observations. This procedure only concerns observations related to the original path request — whereas modifications to the original path requests are treated as described in 4.3.7.1 (without further involvement of the C-OSS).

4.3.4.21 Post-processing

Based on the above-mentioned observations the IMs/ABs have the opportunity to revise offers between X-4 and X-3.5. The updated offer is provided to the C-OSS, which – after a consistency check – submits the final offer to the applicant in PCS.

4.3.4.22 Final offer

At the final offer deadline (X-3.5), the C-OSS communicates the final timetable offer for every valid PaP request including feeder and/or outflow, tailor-made sections and tailor-made offers in case of conflicting requests to the applicants via PCS on behalf of the IM/AB concerned. If, for operational reasons, publication via national tools is still necessary (e.g. to produce documents for train drivers), the IMs/ABs have to ensure that there are no discrepancies between PCS and the national tool.

The applicants involved shall accept or reject the final offer within 5 calendar days in PCS.

- Acceptance > leads to allocation
- Rejection > leads to withdrawal and closing of the request
- No answer > The C-OSS will actively try to get an answer. In case there is no answer from the applicants, the C-OSS will end the process (no allocation).

If not all applicants agree on the final offer, the request will be considered as unanswered.

4.3.5 Late path request phase

Late path requests refer to capacity requests concerning the annual timetable sent to the C-OSS within the timeframe from X-7.5 until X-2.

Corridor Orient/East-Med can offer the possibility to place late path requests (depends on the actual business demand) between X-7.5 and X-2.

4.3.5.1 Product

Capacity for late path requests can be offered in the following ways:

- A) In the same way, as for PaPs, either specially constructed paths for late path requests or PaPs which were not used for the annual timetable.
- B) On the basis of capacity slots. Slots are displayed per corridor section and the standard running time is indicated. To order capacity for late path requests, corridor sections without any time indications are available in PCS. The applicant may indicate his individually required departure and/or arrival times, and feeder and outflow path(s), as well as construction starting point. The indications should respect the indicated standard running times.

Capacity for late path requests has to be requested via PCS either in the same way as for PaPs or by using capacity slots in PCS.

Corridor Orient/East-Med may offer the possibility to place late path request by using the variant **A**.

On the German section of Corridor Orient/East-Med a late path request will be handled in the ad-hoc traffic starting at X-4.

4.3.5.2 Multiple corridor paths

It is possible for capacity requests to cover more than one corridor if capacity is offered. See 4.3.4.4.

4.3.5.3 Late paths on overlapping sections

See 4.3.4.5.

Corridor North Sea-Baltic does not offer the possibility to place late path requests. In case of overlapping sections with RFC NS-B, the applicant can make a late path request on Corridor Orient/East-Med and request a feeder/outflow for the lines of RFC NS-B.

4.3.5.4 Handling of requests

The C-OSS receives and collects all path requests that are placed via PCS.

4.3.5.5 Leading tool for late path requests

Applicants sending late path requests to the C-OSS shall use PCS. PCS is used to manage the complete international path: PaP section, feeder and/or outflow and tailor-made path. Within the construction process, the national tool may show additional information to the applicant.

The following matrix shows for each step of the process which tool is considered as the leading tool.

Phase	Application (X-7.5 till X-2)	Withdrawal (X-8 till X-2)	Offer (X-1)	Acceptance (until X-0.75)	Modification	Cancellation
Leading tool	PCS	PCS	PCS	PCS	National tool/PCS	National tool/PCS



On DB InfraGO and Správa železnic networks the national IT system is the only binding tool to place request for modification and cancellation. The usage of PCS for these operations is additional only.

On NRIC network paths allocated by C-OSS can only be modified/cancelled in PCS.

4.3.5.6 Check of the applications

The C-OSS checks all requests as described in 4.3.4.9.

4.3.5.7 Pre-booking

The C-OSS coordinates the offer with the IMs/ABs concerned or other C-OSS if needed by following the rule of “first come – first served”.

4.3.5.8 Path elaboration

During the path elaboration phase, the IMs/ABs concerned will prepare the Late Path offer under coordination of the C-OSS.

4.3.5.9 Late request offer

All applicants involved shall accept, ask for adaptations or reject the late request offer within 5 calendar days in PCS. By triggering the ‘ask for adaptation’ function, applicants can place comments on the late request offer, which will be monitored by the C-OSS. This procedure only concerns comments related to the original path request – whereas modifications to the original path requests are treated as described in 4.3.7.1 (without further involvement of the C-OSS).

- Acceptance > leads to allocation
- Ask for adaptations > late offer can be returned to path elaboration with comments; IM/AB will make an alternative proposal; however, if no alternatives are possible, the applicant will have to prepare a new request
- Rejection > leads to withdrawal and closing of the request
- No answer > The C-OSS will actively try to get an answer. In case there is still no answer from the applicants, the C-OSS will end the process (no allocation)

If not all applicants agree on the final offer, the request will be considered as unanswered.


4.3.6 Ad-hoc path request phase

4.3.6.1 Reserve capacity (RC)


During the ad-hoc path request phase, the C-OSS offers RC based on PaPs or capacity slots to allow for a quick and optimal answer to ad-hoc path requests:

- A. RC based on PaPs will be a collection of several sections along the Corridor, either of non-requested PaPs and/or PaPs constructed out of remaining capacity by the IMs/ABs after the allocation of overall capacity for the annual timetable as well as in the late path request phase.
- B. In case RC is offered on the basis of capacity slots, slots are displayed per corridor section and the standard running time is indicated. The involved IMs/ABs jointly determine the amount of RC for the next timetable year between X-3 and X-2. The determined slots may not be decreased by the IMs/ABs during the last three months before real time.

To order reserve capacity slots, corridor sections without any time indication are available in PCS. The applicant may indicate his individually required departure and/or arrival times, feeder and outflow path(s) as well as construction starting point. The indications should respect the indicated standard running times as far as possible.


Corridor Orient/East-Med offers RC by variant A and B according to the product offered on each involved network.

RC is published by the C-OSS at X-2 in PCS and on the website of the Corridor under the following link:


Corridor Orient/East-Med displays RC offer in PCS.


The IMs can modify or withdraw RC for a certain period in case of unavailability of capacity due to force majeure. Applicants can book RC via the C-OSS until 30 days before the running day. To make ad-hoc requests less than 30 days before the running day, they have to contact the IMs/ABs directly.

4.3.6.2 Multiple corridor paths

It is possible for capacity requests to cover more than one corridor. See 4.3.4.4.

4.3.6.3 Reserve capacity on overlapping sections

See 4.3.4.5.

		
Description of common offers on overlapping sections on Corridor Orient/East-Med can be found on the schematic map in Annex 4C.		
Overlapping section with common offer	Involved RFCs	Responsible C-OSS
Bremen - Bremerhaven	North Sea – Baltic Orient/East-Med	Rhine-Danube
Bremen - Wilhelmshaven	North Sea – Baltic Orient/East-Med	Rhine-Danube

Bremen – Magdeburg	North Sea – Baltic Orient/East-Med	Rhine-Danube
Hamburg – Magdeburg	North Sea – Baltic Orient/East-Med	Rhine-Danube
Magdeburg – Dresden	North Sea – Baltic Orient/East-Med	Rhine-Danube
Rostock – Dresden	North Sea – Baltic Orient/East-Med	Rhine-Danube
Dresden – Děčín	North Sea – Baltic Orient/East-Med	Rhine-Danube
Děčín – Lovosice – Praha	North Sea – Baltic Orient/East-Med	Rhine-Danube
Děčín – Mělník – Kolín	North Sea – Baltic Orient/East-Med	Rhine-Danube
Bratislava - Rajka	Orient/East-Med Amber	Rhine-Danube
Bratislava – Dunajská Streda – Komárom	Orient/East-Med Amber	Rhine-Danube
Sopron – Győr – Komárom	Orient/East-Med Amber	Rhine-Danube
Komárom - Ferencváros	Orient/East-Med Amber	Rhine-Danube
Nové Zámky – Štúrovo – Ferencváros	Orient/East-Med Amber	Rhine-Danube
Wien Zvbf - Hegyeshalom	Rhine-Danube Orient/East-Med	Rhine-Danube
Wien Zvbf – Ebenfurth - Sopron	Rhine-Danube Orient/East-Med	Rhine-Danube
Hegyeshalom – Ferencváros	Rhine-Danube Orient/East-Med	Rhine-Danube
Sopron – Győr	Rhine-Danube Orient/East-Med	Rhine-Danube
Ferencváros – Lőkősháza/Curtici	Rhine-Danube Orient/East-Med	Rhine-Danube
Szajol – Biharkeresztes/Episcopia Bihor	Rhine-Danube Orient/East-Med	Rhine-Danube
Curtici – Timisoara – Craiova	Rhine-Danube Orient/East-Med	Rhine-Danube
Curtici – Simeria – Craiova	Rhine-Danube Orient/East-Med	Rhine-Danube
Craiova – Videle – Bucuresti	Rhine-Danube Orient/East-Med	Rhine-Danube
Simeria – Brasov – Bucuresti	Rhine-Danube Orient/East-Med	Rhine-Danube
Bucuresti – Constanta	Rhine-Danube Orient/East-Med	Rhine-Danube
Episcopia Bihor – Cluj Napoca – Coslariu	Rhine-Danube Orient/East-Med	Rhine-Danube

4.3.6.4 Feeder, outflow and tailor-made paths

See 4.3.4.6. For RC the same concept applies as for PaPs in the annual timetable.

4.3.6.5 Handling of requests

The C-OSS receives and collects all path requests for RC placed via PCS until 30 days before the running day. If requested, the C-OSS can support applicants in creating the dossiers to prevent inconsistencies and guide the applicants' expectations. The IMs/ABs may support the applicants by providing a technical check of the requests.

4.3.6.6 Leading tool for ad-hoc requests

Applicants sending requests for RC to the C-OSS shall use PCS. PCS is used to manage the complete international path: PaP section, feeder and/or outflow and tailor-made path. Within the construction process, the national tool may show additional information to the applicant.

The following matrix shows for each step of the process which tool is considered as the leading tool.

Phase	Application and allocation (X-2 till X+12)	Withdrawal	Offer (10 calendar days before train run)	Answer (within 5 calendar days after offer)	Modification	Cancellation
Leading tool	PCS	PCS	PCS	PCS	National tool/PCS	National tool/PCS



On DB InfraGO and Správa železnic networks the national IT system is the only binding tool to place request for modification and cancellation. The usage of PCS for these operations is additional only.

On NRIC network paths allocated by C-OSS can only be modified/cancelled in PCS.

4.3.6.7 Check of the applications

The C-OSS checks all requests as described in 4.3.4.9.

4.3.6.8 Pre-booking

The C-OSS applies the 'first come – first served' rule.

4.3.6.9 Path elaboration

During the path elaboration phase, the IMs/ABs concerned will prepare the offer under coordination of the C-OSS.

4.3.6.10 Ad-hoc request offer

Applicants shall receive the ad-hoc offer no later than 10 calendar days before the train run. All applicants involved shall accept, ask for adaptations or reject the ad-hoc offer within 5 calendar days in PCS. By triggering the 'ask for adaptation' function, applicants can place comments on the ad-hoc request offer, which will be monitored by the C-OSS. This procedure only concerns comments related to the original path request – whereas modifications to the original path requests are treated as described in 4.3.7.1 (without further involvement of the C-OSS).

- Acceptance > leads to allocation

- Ask for adaptations > ad-hoc offer can be returned to path elaboration with comments; IM/AB will make an alternative proposal; however, if no alternatives are possible, the applicant will have to prepare a new request
- Rejection > leads to withdrawal of the offer and closing of the request
- No answer > The C-OSS will actively try to get an answer. In case there is still no answer from the applicants, the C-OSS will end the process (no allocation)

If not all applicants agree on the final offer, the request will be considered as unanswered.

4.3.7 Request for changes by the applicant

4.3.7.1 Modification


The Sector Handbook for the communication between Railway Undertakings and Infrastructure Managers (RU/IM Telematics Sector Handbook) is the specification of the TAF-TSI (EC) No. 1305/2014 Regulation. According to its Annex 12.2 UML Model of the yearly timetable path request, it is not possible to place change requests for paths (even including PaPs) by the applicant between X-8 and X-5. The only option in this period is the deletion, meaning the withdrawal, of the path request.

4.3.7.2 Withdrawal

Withdrawing a request is only possible

- After submitting the request (until X-8) until the final offer
- before allocation during the late path request phase (where applicable) and ad-hoc path request phase.

Resubmitting the withdrawn dossier will be considered as annual request only until X-8.

	
<p>An overview of withdrawal fees and deadlines of the IMs/ABs on Corridor Orient/East-Med (extract from the different network statements) is listed below.</p>	
IM	Withdrawal fees and deadlines
DB InfraGO	<p>Withdrawal between X-8 – X-4:</p> <p>Prior to receiving a path offer from DB InfraGO AG, applicants may withdraw a request at any time. They will not be charged by DB InfraGO AG for withdrawing a request as long as they have not received a path offer.</p> <p>RUs will be charged after having received the final offer at X-4.</p> <p>Please note, a charge for issuing an offer is getting effective – CID section 4.3.10.</p>
Správa železnic	No charges.
ŽSR	No charges.
ÖBB Infra	No charges.
MÁV/GYSEV/VPE	No charges.

CFR	No charges.
NRIC	No charges.
OSE	No charges.


4.3.7.3 Transfer of capacity

Once capacity is pre-booked or allocated to an applicant, it shall not be transferred by the recipient to another applicant. The use of capacity by an RU that carries out business on behalf of a non-RU applicant is not considered a transfer.

4.3.7.4 Cancellation

Cancellation refers to the phase between final allocation and the train run. Cancellation can refer to one, several or all running days and to one, several or all sections of the allocated path.

In case a path has to be cancelled, for whatever reason, the cancellation has to be done according to national processes.


	
<p>An overview of cancellation fees and deadlines of the IMs/ABs on Corridor Orient/East-Med (extract from the different network statements) is listed below.</p>	
IM	Cancellation fees and deadlines
DB InfraGO	<p>Between final draft of working timetable in first phase until 30 November of the same year, a minimum cancellation fee has to be paid:</p> <ul style="list-style-type: none"> • In case of cancellations, a minimum cancellation fee is generally charged for each day of service cancelled, depending on the expense associated therewith. • No minimum cancellation fee accrues for days of service for which an increased cancellation fee is charged • The minimum cancellation fee is calculated by multiplying the timetable costs according to the working timetable by the number of train-path kilometers affected by the amendment, multiplied by the number of amended days of service. The minimum cancellation fee is limited by a maximum of € 1.087. <p>Calculation: $0,04 * \text{number of train-path kilometers} * \text{number of amended days of service}$.</p> <p>An increased cancellation fee is charged in case of cancellations after 30 November:</p> <p>Until 31 days before the running day $15\% \text{ of calculation basis} * \text{number of train-path kilometers} * \text{number of amended days of service}$.</p>

	<p>Between 30 days and 5 days (included) before the running day 20 % of calculation basis * number of train-path kilometers * number of amended days of service.</p> <p>Between 4 days and 24h hours before the running day 40 % of calculation basis * number of train-path kilometers * number of amended days of service.</p> <p>24h hours or less before the running day 70 % of calculation basis * number of train-path kilometers * number of amended days of service.</p> <p>Between scheduled time of train run and beyond 20h of scheduled departure 120 % of calculation basis * number of train-path kilometers * number of amended days of service.</p> <p>After 20 hours after departure: 200% of calculation basis * number of train-path kilometers</p> <p>Calculation basis: the saved direct costs of train operation for maintenance and depreciation are deducted from the charge for the cancelled train path. This results in the calculation basis for the cancellation fee. Amounts can be found in Annex 5.3 to the DB InfraGO Network Statement (INB).</p> <p>If the Applicant cancels several days of service, the relevant increased cancellation fee is determined for each day of service and added up for the affected days of service. If a train path is cancelled and/or amended on different days of service, the relevant increased cancellation fee per day of service and the relevant minimum cancellation charge per day of service are added up. No minimum cancellation fee accrues for days of service for which an increased cancellation fee is charged.</p>	
Správa železnic	a) Capacity allocation fee (according to Network Statement)	100%
	b) If the applicant cancels allocated infrastructure capacity less than 30 days before the planned day of ride, the applicant is obliged to pay a sanction fee.	<p>The fee depends on the time of cancellation, the length of the allocated path and classification of route that is used.</p> <p>Some routes are excluded from this fee.</p> <p>For details see the Network Statement – chapter 5.6.4 and Annex “C”.</p>
ŽSR	<p>Charging formula consist of 3 parts.</p> <p>U1 - for capacity allocation</p> <p>U2 - for traffic steering</p> <p>U3 - for securing the infrastructure to be in the optimal shape</p>	

	In case of cancellation, once the allocation is done ŽSR does charge just U1. Cancellation fee also depends on line category and unused train-km.
ÖBB Infra	No charges.
MÁV/GYSEV/VPE	No charges.
CFR	If the request for non-use of the scheduled path, i.e. the cancellation of train traffic on the scheduled path is made after the completion of the daily traffic schedule, then the applicant will pay a penalty equal to 0.1% of the track access charge value related to a train with the minimum tonnage that would have running on that route.
NRIC	There are no charges up to the 17th day of the preceding month. Cancellation after 17th day of the preceding month -charge for requested but unused capacity- 1.5423 BGN/km
OSE	In case a Railway Undertaking has requested and reserved a specific traffic path that it does not intend to use, the Railway Undertaking shall be exempted from the CMAP total charge. In the case where the cancellation of the entire reserved path is requested less than two months before the date on which the routing was scheduled to run, a cancellation charge $CC = p \cdot ct \cdot d$ shall be levied, which corresponds to the cost of the scheduled traffic management services. The numerical values of the parameters follow par. 6.3. of NS. The cancellation charge does not apply when a partial modification of the routing of the reserved path is requested.

4.3.7.5 Unused paths

If an applicant or designated RU does not use the allocated path, the case is treated as follows.

	
An overview of fees for unused paths for the IMs/ABs on Corridor Orient/East-Med (extract from the different network statements) is listed below.	
IM	Fees for unused paths
DB InfraGO	<p>If train paths are not cancelled by the Applicant and are not operated, the increased cancellation charge for the period of more than 20 hours after departure will be charged. The regulations for a 20-hour train as defined in Section 5.6.3.2 of the DB InfraGO Network Statement (INB) remain unaffected.</p> <p>The amount of the no-show fee is 200% of calculation basis * number of train-path kilometers.</p>

	Calculation basis: the saved direct costs of train operation for maintenance and depreciation are deducted from the charge for the cancelled train path. This results in the calculation basis for the cancellation fee. Amounts can be found in Annex 5.3 to INB
Správa železnic	100 % of Capacity allocation fee plus a sanction fee, which depends on the length of the allocated path and classification of route that is used. Some routes are excluded from this fee. For details see the Network Statement – chapter 5.6.3 and Annex “C”.
ŽSR	Charging formula consist of 3 parts. U1 - for capacity allocation U2 - for traffic steering U3 - for securing the infrastructure to be in the optimal shape In case of cancellation, once the allocation is done ŽSR does charge just U1. Cancellation fee also depends on line category and unused train-km.
ÖBB Infra	No charges.
MÁV/GYSEV/VPE	No charges.
CFR	If the request for non-use of the scheduled path, i.e. the cancellation of train traffic on the scheduled path, is made at the latest when the daily traffic schedule is drawn up, then the RU will not bear any additional payment.
NRIC	Charge for requested but unused capacity –1.5423 BGN/km
OSE	No non-usage fees in discretionary capacity allocation.

4.3.8 Exceptional transport and dangerous goods

4.3.8.1 Exceptional transport

PaPs and RC do not include the possibility to manage exceptional consignments (e.g. out-of-gauge loads). The parameters of the PaPs and RC offered have to be respected, including the published combined transport profiles.

Requests for exceptional consignments are forwarded by the C-OSS directly to the IMs/ABs concerned for further treatment.

4.3.8.2 Dangerous goods

Dangerous goods may be loaded on trains using PaPs or RC if both international and national rules concerning the movement of hazardous material are respected (e.g. according to RID – Regulation governing the international transport of dangerous goods by rail).

Dangerous goods have to be declared, when making a path request, to all IMs/ABs on the Corridor.

4.3.9 Rail related services

Rail related services are specific services, the allocation of which follows national rules and partially other deadlines than those stipulated in the process of path allocation. Therefore, the request has to be sent to the IMs/ABs concerned directly.


If questions regarding rail related services are sent to the C-OSS, he/she contacts the IMs/ABs concerned, who provide an answer within a reasonable time frame.

4.3.10 Contracting and invoicing

Network access contracts are concluded between IMs/ABs and the applicant on the basis of national network access conditions.

The C-OSS does not issue any invoices for the use of allocated paths. All costs (charges for using a path, administration fees, etc.) are invoiced by the relevant IMs/ABs.

Currently, differences between various countries exist regarding invoicing for the path charge. In some countries, if a non-RU applicant is involved, it receives the invoice, whereas in other countries the invoice is issued to the RU that has used the path.

	
<p>An overview of who has to pay the path charge when a non-RU applicant requests the path on Corridor Orient/East-Med per IM/AB (extract from the different network statements) is listed below.</p>	
IM	Explanations
DB InfraGO	<p>Path charge will be invoiced to the party of the infrastructure user contract.</p> <p>Charge for issuing an offer:</p> <p>The costs involved in processing requests for the allocation of train path are contained in the train-path charge. Therefore, failure to take up a train path once an application has been submitted will result in a processing charge being levied for issuing the offer.</p> <p>The charge for issuing an offer is calculated by the timetable costs multiplied by the train path kilometres multiplied by the number of changed running days.</p> <p>Charge for issuing an offer per running day = timetable costs * train path kilometres (up to a maximum of € 1087).</p> <p>In the case of a new train path allocation due to DB InfraGO Network Statement (INB) Section 6.3.3.4.2 the Applicant pays the charge for the train path newly assigned by DB InfraGO AG. In the event of the train path not being used due to the provision in INB Section 6.3.3.4.2, DB InfraGO AG shall bill the Applicant, in addition to the train path charge to be paid in accordance with the above sentence 1, the charge for the originally ordered and unused train path amounting to the charge for cancelling this train path less than 24 hours before departure (pursuant to INB Section 5.6.3.), unless DB InfraGO AG was responsible for the delay of 20 hours or</p>

	more. The provisions of NBN Section 6.3.3.4.2 shall remain unaffected.
Správa železnic	RU that used a path, except situation when no RU is assigned. In this case Applicant is charged.
ŽSR	RU that used a path, except situation when no RU is assigned. In this case Applicant is charged.
ÖBB Infra	The RU has to pay the used path whereas the non-RU is liable for the payment.
MÁV/GYSEV/VPE	Path charge will be invoiced to the applicant, which requested the path.
CFR	The invoice is issued to the RU that has used the path.
NRIC	The invoice is issued to the RU that has used the path.
OSE	RUs are responsible for the financial obligations of capacity requests.

4.3.11 Appeal procedure

Based on Article 20 of the Regulation: in case of complaints regarding the allocation of PaPs (e.g. due to a decision based on the priority rules for allocation), the applicants may address the relevant Regulatory Body (RB) as stated in the Cooperation Agreement signed between RBs on the Corridor.



The Cooperation Agreement can be found under

[Link to the Agreement of the RBs](#)

4.4 Coordination and Publication of planned Temporary Capacity Restrictions

4.4.1 Goals

In line with Article 12 of the Regulation, the Management Board of the freight corridor shall coordinate and ensure in one place the publication of planned Temporary Capacity Restrictions (TCRs) that could impact the capacity on the Corridor. TCRs are necessary to keep the infrastructure and its equipment in operational condition and to allow changes to the infrastructure necessary to cover market needs. According to the current legal framework (see 4.4.2), in case of international traffic, these capacity restrictions have to be coordinated by IMs among neighboring countries.

Notwithstanding the above coordination requirements, the process and criteria for the involvement of the Corridor in the coordination of the TCRs on the Corridor are regulated in 4.4.3. The RFC TCR Coordinator appointed by the Management Board is responsible for ensuring that the needs of international freight traffic along the corridors are adequately respected.

Additionally, the Corridor's aim is to regularly update the information and present all known TCRs in an easily accessible way.

4.4.2 Legal background

The legal background to this chapter can be found in:

- Article 53(2) of and Annex VII to Directive 2012/34/EU as amended by Commission Delegated Decision (EU) 2017/2075 - hereafter “Annex VII”
- Article 12 of the Regulation (“Coordination of works”).

A framework has been developed by RNE in the "[Procedures for Temporary Capacity Restriction Management](#)" and it is reflected in the Corridor’s specific procedures.

4.4.3 Coordination process of corridor-relevant TCRs

Coordination is the continuous process of planning TCRs with the aim to reduce their impact on traffic. If this impact of a TCR is not limited to one network, cross-border coordination between IMs is necessary. It results in optimising the common planning of several TCRs, and in offering alternative capacity for deviations on relevant lines to keep international freight traffic running.

4.4.3.1 Timeline for coordination

Different types of TCR (see 4.4.5.1) require a different deadline for final coordination:

- Major impact: 18 months before the start of the annual timetable
- High and medium impact: 13,5 months before the start of the annual timetable
- Minor impact: 5 months before the start of the annual timetable

Coordination of corridor-relevant TCRs is carried out according to the following procedure.

4.4.3.2 Coordination between neighbouring IMs (first level of coordination)

Coordination will be performed during regular coordination processes between neighbouring IMs on the Corridor during coordination meetings. The result of coordination is:

- a. common agreement between the involved IMs about coordinated TCRs linked to the timing of the TCR and describing the impact on capacity as far as it is known and
- b. a common understanding of open issues, which have to be resolved, and a timeline for how to continue with the unresolved issues.

Criteria for coordination between IMs are set up in Annex VII, but additional criteria are taken into account, if according to IMs’ expertise they are relevant for international traffic.



First level coordination is carried out by bilateral or trilateral working groups between neighbouring IMs. These working groups are organised by IMs’ on their responsibility. Timelines are compliant with the rules set up by Annex VII.

Outcomes of these working groups (attendance, TCRs discussed, unsolved conflicts, *open issues concerning TCRs on Corridor lines*) have to be reported to the RFC TCR coordinator.

The RFC TCR Coordinator monitors the results of the coordination and if required, proposes additional actions to find solutions for open issues.

4.4.3.3 Coordination at Corridor level (second level of coordination)

Coordination at Corridor level is necessary if the impact of the TCR is not limited to the second network and a third or a fourth network is involved or the aggregated impact of several TCRs exceeds the criteria agreed.

Due to Regulation 913/2010/EU RFCs have the obligation to ensure coordination and publication of TCRs. RFCs can define criteria (e. g. impact on freight traffic, duration of TCR etc.) for initiating coordination on RFC level. All TCRs, which meet at least one criterion, have to be submitted to the RFC TCR Coordinator by the involved IMs. Coordination on RFC level will then be initiated by the RFC TCR Coordinator with the aim to investigate:

- the combined impact of all the TCRs on the respective networks of the corridor is still acceptable,
- the availability of capacity on diversionary lines, and
- the possibility to give a capacity offer

The RFC TCR Coordinator organises coordination meetings according to the internal rules of the Corridor.

4.4.3.4 Conflict resolution process

Unresolved conflicts on Corridor lines shall be reported by the RFC TCR Coordinator to the Corridor's Management Board directly when it becomes clear that the coordination has not led to sufficient results.

IMs involved in the conflict will initiate the conflict resolution process (e.g. by initiating specific bi/multi-lateral meetings). The specific Corridor's process is described in the box below.

Conflict resolution process on Corridor Orient/East-Med:

Experts with relevant knowledge of planning TCRs and timetables will work on proposals for alternatives to find solutions. The management of the IM(s) where the works take place is responsible for a final decision. The results will be reported to the management of the affected IMs and MB of the involved corridor.

4.4.4 Involvement of applicants

Each IM has its own national agreements, processes and platforms to consult and inform their applicants about TCRs during the various phases. These processes are described in the network statement of each IM.

At Corridor level, the involvement of applicants is organised in the following way:

- 1) The results of the coordination of TCR's that are known for principal and diversionary lines of Corridor Orient/East-Med are published on Corridor Orient/East-Med's website and/or in the CIP. Applicants may send their comments on the planned TCRs to the involved IM(s) by (The Corridor shall add the deadline). The comments of applicants have an advisory and supportive character and shall be taken into consideration as far as possible.
- 2) Regular meetings of the Railway Undertaking Advisory Group (RAG) and Terminal Advisory Group (TAG) are used to discuss issues related with TCRs.

3) Additional meetings with applicants, to discuss and resolve open issues, will be treated on a case by case basis.

4.4.5 Publication of TCRs

4.4.5.1 Criteria for publication

	Consecutive days	Impact on traffic (estimated traffic cancelled, re-routed or replaced by other modes of transport)	First publication deadline according to Annex VII
Major impact TCR¹	More than 30 consecutive days	More than 50% of the estimated traffic volume on a railway line per day	X-24
High impact TCR¹	More than 7 consecutive days	More than 30% of the estimated traffic volume on a railway line per day	
Medium impact TCR¹	7 consecutive days or less	More than 50% of the estimated traffic volume on a railway line per day	X-12
Minor impact TCR²	unspecified ³	More than 10% of the estimated traffic volume on a railway line per day	X-4
Less than minor impact TCR	unspecified	Maximum of 10% of the estimated traffic volume on a railway line per day	The IMs are recommended to comply with the Path Allocation requirements ⁴ : <ul style="list-style-type: none"> ➤ Passenger: T⁵-135 ➤ Freight: T-45

1) Annex VII of Directive 2012/34/EU, article (11);

2) Annex VII of Directive 2012/34/EU, article (12).

3) According to Annex VII of Directive 2012/34/EU, article (12) "7 consecutive days or less", modified here.

4) Data coming from the RNE Path Alteration Handbook. Less than minor TCRs are not regulated by Annex VII.

5) T- #: a deadline referring to the first day of the capacity restriction (T) and the number of days (#) in advance of this deadline.



Notwithstanding this categorisation, Corridor Orient/East-Med strives to provide more detailed information by applying the following criteria for publication. DB InfraGO will do that during first level coordination.

At X-18-coordination:

- Continuous total closure of a line for more than 72 consecutive hours (3 days)
- Periodical total closure (e. g. every night) for more than 30 consecutive days

- Any other periodical (e. g. 3 hours every afternoon) or continuous TCR for more than 30 consecutive working days (e. g. closure of one track of a double track line, temporary TCR in a location); included in this category are speed, length, weight or traction restrictions

At X-12-coordination:

- Continuous total closure of a line for more than 24 consecutive hours (1 day)
- Periodical total closure (e. g. every night) for more than 14 consecutive days
- Any other periodical (e. g. 3 hours every afternoon) or continuous TCR for more than 14 consecutive working days (e. g. closure of one track of a double track line, periodical TCR in a location); included in this category are speed, length, weight or traction restrictions

After initial publication of TCRs, further details may be added as soon as they are available.

4.4.5.2 Dates of publication

IMs have to publish their major, high and medium impact TCRs at X-12. The Corridor publishes the relevant TCRs for TT 2024 – 2026 on the following dates:

	January 2024 (X-11)	January 2024 (X-23)	August 2024 (X-3.5)	January 2025 (X-11)	January 2025 (X-23)
Major	X (second publication)	X (first publication)		X (second publication)	X (first publication)
High	X (second publication)	X (first publication)		X (second publication)	X (first publication)
Medium	X (international impact)			X (international impact)	
Minor			X		
Applicable timetable	TT 2025	TT 2026	TT 2025	TT 2026	TT 2027

4.4.5.3 Tool for publication

After coordination between all IMs involved on the Corridor the results are published in the harmonised Excel overview which is available on the Corridor’s website and/or in the CIP.



Link to the overview on Corridor Orient/East-Med: <https://www.rfc7.eu/track-possession>

As soon as the RNE TCR tool will be ready for use, OEM will publish the TCR on the tool. A provisional double publication (Tool and Table) might occur for a transition period.

4.4.6 Legal disclaimer

By publishing the overview of the corridor relevant TCRs, the IMs concerned present the planning status for TCRs to infrastructure availability along the Corridor. The published TCRs are a snapshot of the situation at the date of publication and may be subject to further changes. The information provided can be used for orientation purposes only and may not constitute the basis for any legal claim. Therefore, any liability of the Corridor organisation regarding damages caused using the TCR parameters (e.g. day, time, section, etc.) shall be excluded.

The publication of TCRs at Corridor level does not substitute the publication of TCRs in accordance with the relevant provisions of national and European law. It lies within the IMs' responsibility to publish and communicate TCRs in accordance with the process described in their network statements and/or defined in law.

4.5 Traffic management

In line with Article 16 of the Regulation, the Management Board of the freight corridor has put in place procedures for coordinating traffic management along the freight corridor.

Traffic management is the prerogative of the national IMs and is subject to national operational rules. The goal of traffic management is to guarantee the safety of train traffic and achieve high quality performance. Daily traffic shall operate as close as possible to the planning.

National IMs coordinate international traffic with neighbouring countries on a bilateral level. In this manner, they ensure that all traffic on the network is managed in the most optimal way.



In the normal daily business, the trains run according to their timetable, and there is no need for coordination or communication between the TCCs on the corridor. If there is any significant deviation from the timetable or in case of disturbance regardless of the cause, communication and coordination between the related TCCs is necessary. The coordination in such cases should be based on the already existing bilateral agreements. For communication and coordination, it is recommended to use the functionalities of RNE TIS. The infrastructure managers of the freight corridor and the advisory group set up **Train Performance Management Coordination** to ensure optimal coordination between the operation of the railway infrastructure and the customers.

4.5.1 Cross-border section information

In the table below, all cross-border sections covered by the Corridor are listed:

		
Cross-border section	IM 1	IM 2
Bad Schandau – Děčín	Správa železnic	DB InfraGO
Břeclav – Hohenau	Správa železnic	ÖBB Infra
Břeclav – Kúty	Správa železnic	ŽSR

Nickelsdorf – Hegyeshalom	ÖBB Infra	MÁV
Wulkaprodersdorf – Sopron	GYSEV	GYSEV
Marchegg – Devínska Nová Ves	ÖBB Infra	ŽSR
Kittsee – Bratislava Petržalka	ÖBB Infra	ŽSR
Loipersbach-Schattendorf – Sopron	ÖBB Infra	GYSEV
Rusovce – Rajka	ŽSR	GYSEV
Komárno – Komárom	ŽSR	MÁV
Štúrovo – Szob	ŽSR	MÁV
Lőkősháza – Curtici	MÁV	CFR
Biharkeresztes – Episcopia Bihor	MÁV	CFR
Golenți – Vidin Tovarna	CFR	NRIC
Giurgiu – Ruse Razpredelitelna	CFR	NRIC
Kulata – Promachonas	NRIC	OSE
Svilengrad – Dikea	NRIC	OSE

4.5.1.1 Technical features and operational rules

For all corridor-related cross-border sections, the following information is available:

- Technical features
 - Maximum train weight and train length
 - Railway line parameters (number of tracks, electrification, profile, loading and vehicle gauge, speed limit, axle load, etc.)
- Operational rules
 - Languages used
 - Requirements concerning running through the border (administrative and technical preconditions)
 - Special rules in case of system breakdown (communication system failure, safety system failure).



For Corridor Orient/East-Med the above-mentioned information can be found:

- On Customer Information Platform (CIP): <https://cip.rne.eu/apex/f?p=212:65:.....>
- In the Implementation Plan: <https://www.rfc7.eu/corridor-information-document>
- In the Network Statements of IMs involved in the corridor: <https://nci-online.rne.eu/search>

On RNE website – Traffic Management Information – Border section information sheet within the Excel table (<https://rne.eu/traffic-management/other-activities/>)

4.5.1.2 Cross-border agreements

Cooperation between the IMs on a corridor can be described in different types of agreements: in bilateral agreements between states (at ministerial level) and/or between IMs and in the detailed border section procedures.

Agreements applicable on the Corridor can be found in the overview below and contain the following information:

- Title and description of border agreement
- Validity
- Languages in which the agreement is available
- Relevant contact person within IM.



For Corridor Orient/East-Med the above-mentioned information can be found:

- On Customer Information Platform (CIP): <https://cip.rne.eu/apex/f?p=212:65:.....>
- In the Network Statements of IMs involved in the corridor: <https://nci-online.rne.eu/search>

On RNE website – Traffic Management Information – Border section information sheet within the Excel table (<https://rne.eu/traffic-management/other-activities/>)

4.5.2 Priority rules in traffic management

In accordance with the Regulation, IMs involved in the Corridor commit themselves to treating international freight trains on the Corridor or feeder / outflow lines that run punctually according to the timetable in such a way that a high quality and punctuality level of this traffic is ensured, but always within the current possibilities and within the framework of national operational rules.



On the feedback from the market, to strengthen the harmonisation and to serve better the market needs RFC OEM has implemented priority rules on the corridor applying the following traffic management rules in groups of Infrastructure Managers listed below:

- MÁV
- GYSEV
- CFR
- NRIC
- OSE

General principles of prioritization are as follows:

1. If the Corridor train is on time, it has the priority against other freight trains.
2. In case of conflict between 2 delayed trains, priority is given to the faster train.

3. RUs can give priority to specific train within their trains.

Order of priority of train types on RFC OEM:

1. Emergency trains (breakdown, rescue, fire-fighter trains)
2. High speed passenger trains and long distance passenger trains
3. Passenger trains, priority freight trains (including Corridor trains) – faster trains have principally priority to slower trains
4. Other freight trains
5. Service trains

To see the overview of national IM priority rules in traffic management, please visit

<https://rne.eu/traffic-management/other-activities/>

(or download the document directly via the following link:

https://rne.eu/wp-content/uploads/RNE_OverviewOfthePriorityRulesInOperation.pdf.)

4.5.3 Traffic management in the event of disturbance

The goal of traffic management in case of disturbance is to ensure the safety of train traffic, while aiming to quickly restore the normal situation and/or minimise the impact of the disruption. The overall aim should be to minimise the overall network recovery time.

In order to reach the above-mentioned goals, traffic management in case of disturbance needs an efficient communication flow between all involved parties and a good degree of predictability, obtained by applying predefined operational scenarios at the border.

In case of disturbances, IMs work together with the concerned RUs and neighbouring IMs in order to limit the impact as far as possible and to reduce the overall recovery time of the network.

In case of disruptions of international traffic longer than 3 days with a high impact on international traffic, (if 50% of the trains on the affected section need an operational treatment), the initiating IM shall declare a case of International Contingency Management (ICM).

To allow continuation of freight and passenger traffic flows at the highest possible level despite an international disruption and to ensure non-discriminatory treatment of the RUs, transparency of the status of the disruption and its impact on traffic flows for all relevant stakeholders across Europe, the IMs should apply the rules and procedures defined in the '[Handbook for International Contingency Management](#)' (ICM Handbook) approved by the RNE General Assembly.

According to the ICM Handbook, the Corridors act as facilitators with respect to the disruption management and the communication process.



Apart from the mandatory processes defined in the ICM Handbook, RFC-specific decisions on the following matters shall be taken:

1. Need to have a back-up organisation (*one of the following options shall be selected*):
There is no back-up organisation to take over this responsibility and the RFC team would take up the task during the usual business hours.
2. Need to organise a communication telco during an ICM case in order to coordinate the public communication (*one of the following options shall be selected*):

The communication telco would always be organised;

3. List of stakeholders to be additionally informed during an ICM case (e.g. sector associations, etc.) taking into account the suggestions defined in the ICM Handbook (*one or more of the following options shall be selected – please specify*):

Any other stakeholders deemed as relevant by the RFC;

No other stakeholder besides the ones defined as mandatory in the ICM Handbook.

4.5.3.1 Communication procedure

The main principle on which the communication procedure in case of disturbance is based is that the IM concerned is responsible for communication; it must deliver the information as soon as possible through standard channels to the RUs on its own network and to the neighbouring IMs.

In case of international disruptions longer than 3 days with a high impact on international traffic, the international contingency management communication procedures as described in the ICM Handbook will be applied.



In case a disturbance on the corridor, whenever rerouting alternative is possible, the IM on whose infrastructure the disturbance occurred should always contact the domestic RU to organise the rerouting of their own trains in accordance with partner RUs and concerned IMs. Link to ICM Handbook: https://rne.eu/wp-content/uploads/2022/10/ICM_Handbook.pdf.

4.5.3.2 Operational scenarios on the Corridor in the event of disturbance

For international disruptions longer than 3 days with a high impact on international traffic, the Corridor with its member IMs and related corridors developed an international corridor re-routing overview combining national re-routing plans across borders along the Corridor, according to the ICM Handbook.



The above-mentioned overview information can be found:

[RFC7 ICM rerouting overview](#)

4.5.3.3 Allocation rules in the event of disturbance

In case of international disruptions longer than 3 days with a high impact on international traffic, the international contingency management allocation principles as described in the ICM Handbook will be applied.



In case of major disturbances, the national rules and procedures which are applicable, are to be found in the related Network Statements.

4.5.4 Traffic restrictions

Information about planned restrictions can be found in 4.4, Coordination and Publication of Planned Temporary Capacity Restrictions (TCRs).



Information about extraordinary capacity restrictions:

- The relevant information shall be provided by the IMs based on the rules set up in document 'RFC OEM Protocol on the Publication of Extraordinary Capacity Restrictions'. The C-OSS manager is responsible for the publication of the information on the RFC OEM website also to notify the interested applicants via regular newsletters.

4.5.5 Dangerous goods

Detailed information about conditions for the transport of dangerous goods can be found in the Network Statements of the IMs involved in the Corridor or in the NCI portal (see Section 2).

4.5.6 Exceptional transport

Detailed information about conditions for the carriage of exceptional consignments can be found in the Network Statements of the IMs involved in the Corridor in the NCI portal (Section 2).

4.6 Train Performance Management

The aim of the Corridor Train Performance Management (TPM) is to measure the performance on the Corridor, analyse weak points and recommend corrective measures, thus managing and improving the train performance of international services. RNE has developed guidelines for train performance management on corridors (https://rne.eu/wp-content/uploads/2022/10/RNE_Guidelines_for_Train_Performance_Management_on_RFCs.pdf) as a recommendation for processes and structures. However, the implementation of the TPM is subject to particular Corridor decision.

A necessary precondition for analysis of TPM is the implementation and use of the RNE Train Information System (as described in 1.8.2) by all involved IMs.

Corridors publish in the CIP or on their websites a management summary of the Corridor's monthly punctuality report, harmonised among the corridors.

Several different reports have been developed by RNE for the needs of corridors. Interested parties (applicants, terminals and others) are welcome to contact the Corridor TPM WG leader in case of need for further, specific, detailed analyses. The list of Corridor TPM WG leaders can be found on the RNE website: <http://www.rne.eu/tm-tpm/tpm-on-rfcs/>. In addition, direct access to the reporting tool can be requested by applicants via the [RNE Joint Office](#).



The management summary of the Corridor monthly punctuality report is published on <https://www.rfc7.eu/train-performance-reports>

RFC OEM has set up a group within the framework of its organisational structure that is responsible for the train performance management of the corridor. In this group IMs, RUs and Terminals work together in order to make the railway business more attractive and competitive.

The details can be found in the document: "Train Performance Management Rules of Procedure".

Annex 4.A Framework for Capacity Allocation

Mentioned in 4.3.1, 4.2.4, 4.3.4.10 and 4.3.4.11

[Link to FCA](#)


Annex 4.B Table of deadlines

Date / Deadline	Date in X-System	Description of Activities
8 January 2024	X-11	Publication of PaP Catalogue
9 January 2024 – 22 January 2024	X-11 – X-10.5	Correction phase (corrections of errors to published PaPs)
8 April 2024	X-8	Last day to request a PaP
15 April 2024		Last day to inform applicants about the alternative PaP offer
22 April 2024	X-7.5	Last day for C-OSS to send PaP pre-booking information to applicants
1 July 2024	X-5	Publication of draft timetable
2 July 2024 – 2 August 2024	X-5 – X-4	Observations and comments from applicants
23 April 2024 – 14 October 2024	X-7.5 – X-2	Late path request application phase via the C-OSS
20 August 2024 – 11 November 2024	X-3.5 – X-1	Late path request allocation phase
19 August 2024	X-3.5	Publication of final offer
24 August 2024	X-3	Acceptance of final offer
14 October 2024	X-2	Publication of RC
15 December 2024	X	Timetable change
15 October 2024 – 13 December 2025	X-2 - X+12	Application and allocation phase for RC

Annex 4.C Maps of the Corridor

Mentioned in 4.3.4.2, 4.3.4.4, 4.3.4.5

Schematic map Orient/East-Med PaP capacity offer TT2025



Annex 4.D Specificities on specific PaP sections on the Corridor

Mentioned in 4.3.4.3

Bandwidth for IMs:	Request at border	Request inland	Construction at border
DB InfraGO	+/- 15 min	+/- 15 min	+/- 15 min
Správa železnic*	+/- 15min	open	+/- 15 min

* on border crossing Bad Schandau - Děčín

Annex 4.E Table of distances (PaP sections)

Mentioned in 4.3.4.11

IM/ AB	PaP section		Number of kilometres
	From	To	
DB InfraGO	Bremerhaven-Speckenbuettel	Bremen Hbf	67,04
	Wilhelmshaven JadeWeserPort	Bremen-Neustadt	107,12
	Bremen-Neustadt	Bremen Hbf	2,87
	Bremen Hbf	Seelze Mitte	115,68
	Bremen Hbf	Hannover Hbf	125,33
	Seelze Mitte	Magdeburg-Sudenburg	156,26
	Hannover Hbf	Magdeburg-Sudenburg	142,27
	Magdeburg-Sudenburg	Biederitz	10,16
	Maschen Rbf (Mswf)	Biederitz	235,76
	Biederitz	Falkenberg (Elster) unt Bf Stw W 26	131,01
	Falkenberg (Elster) unt Bf Stw W 26	Dresden-Friedrichstadt	75,71
	Dresden-Friedrichstadt	Bad Schandau	42,14
	Bad Schandau	Bad Schandau Grenze	11,46
	Rostock Seehafen	Bad Schandau Grenze	455,51
Správa železnic	Děčín st.hr.	Děčín hl.n.	12,6
	Děčín st.hr.	Děčín východ	10,6
	Děčín východ	Mělník	85,2
	Děčín hl.n.	Lovosice	44,7
	Mělník	Kolín seř.n.	74,3
	Lovosice	Praha-Libeň	86,5
	Praha-Libeň	Kolín seř.n.	57,80
	Kolín seř.n.	Česká Třebová odj.sk.	100,8

	Česká Třebová odj.sk.	Brno-Maloměřice	85,8
	Kolín seř.n.	Havlíčkův Brod	73,1
	Havlíčkův Brod	Brno-Maloměřice	116,7
	Brno-Maloměřice	Břeclav přednádraží	64,50
	Břeclav přednádraží	Lanžhot st.hr.	13,70
	Břeclav přednádraží	Břeclav st.hr.	7,30
	Č.Třebová odj.sk.	Přerov přednádraží	108,30
	Přerov přednádraží	Břeclav přednádraží	96,90
ŽSR	Kúty št. hr.	Kúty	6,92
	Kúty	Bratislava-Vajnory	73,36
	Kúty	Bratislava ÚNS	75,17
	Kúty	Nové Zámky	154,72
	Kúty	Dunajská Streda	110,54
	Nové Zámky	Štúrovo	44,19
	Štúrovo	Štúrovo št. hr.	13,81
	Nové Zámky	Komárno	28,78
	Komárno	Komárno št. hr.	4,73
	Bratislava ÚNS	Nové Zámky	95,18
	Bratislava ÚNS	Rusovce	16,75
	Rusovce	Rusovce št. hr.	4,23
	Dunajská Streda	Komárno	53,35
	Kúty št. hr.	Kúty	6,92
ÖBB Infra	Staatsgrenze nächst Bernhardsthal	Hohenau	12,56
	Hohenau	Wien zvbř	70,45
	Wien zvbř	Hegyeshalom	63,8
	Wien zvbř	Ebenfurth	32,74

	Ebenfurth	Sopron-Rendező	33,3
VPE	Hegyeshalom	Ferencváros	178
	Hegyeshalom	Ferencváros	178
	Sopron-Rendező	Győr	84,50
	Győr	Ferencváros	131,60
	Komárom oh.	Komárom-Rendező	3,60
	Komárom-Rendező	Ferencváros	94,20
	Szob oh.	Szob	0,70
	Szob	Ferencváros	71,70
	Ferencváros	Soroksári út rendező	3,50
	Ferencváros	Soroksár-Terminál	12,30
	Szob	Rákos	66,20
	Rákos	Lőkősháza	216,20
	Ferencváros	Lőkősháza	219,60
	Lőkősháza	Lőkősháza oh.	2,70
	Ferencváros	Püspökladány	171,50
Püspökladány	Biharkeresztes	50,10	
Biharkeresztes	Biharkeresztes oh.	4,40	
CFR	Curtici Fr	Curtici	8,50
	Curtici	Simeria	174,00
	Curtici	Timisoara Nord	82,60
	Timisoara Nord	Craiova	316,00
	Simeria	Craiova	237,00
	Craiova	Golenti	96,00
	Craiova	Rosiori Nord	108,90
	Rosiori Nord	Videle	48,61

	Rosiori Nord	Giurgiu Nord	104,09
	Videle	Giurgiu Nord	63,00
	Videle	Chitila	50,00
	Chitila	Brazi	42,00
	Brazi	Buzau Sud	82,00
	Buzau Sud	Barbosi	114,90
	Barbosi	Malina	3,44
	Videle	Constanta Ferry-B	263,16
	Giurgiu Nord	Giurgiu Nord Fr	5,75
	Golenti	Golenti Fr.	10,13
	Episcopia Bihor Fr	Episcopia Bihor	7,05
	Episcopia Bihor	Oradea Est	9,46
NRIC	Granitsa Ruse	Ruse Razpredelitelna	5,73
	Granitsa Vidin	Vidin Tovarna	12,78
	Ruse Razpredelitelna	Mezdra Yug	310,95
	Ruse Razpredelitelna	Kaspichan	137,30
	Kaspichan	Karnobat	169,30
	Karnobat	Nova Zagora	93,50
	Nova Zagora	Stara Zagora	33,00
	Stara Zagora	Svilengrad	122,70
	Nova Zagora	Svilengrad	104,20
	Vidin Tovarna	Mezdra Yug	178,60
	Mezdra Yug	Iliantsi	80,90
	Iliantsi	Plovdiv Razpredelitelna	158,22
	Plovdiv Razpredelitelna	Dimitrovgrad	75,57
	Dimitrovgrad	Svilengrad	64,63

	Iliantsi	Radomir	64,60
	Radomir	Kulata	161,40
OSE	Kulata	Promachon	2.38
	Promachon	Thessaloniki Port	139.96
	Thessaloniki Port	Thriasio N.	485,80
	Thriasio N.	Ikonio	23.18